

PRODUCT CATALOUGE



THE BEST PRODUCT OF BRAND:

DAIDEN NLG® NLG DOLIZ

COMPANY CORE VALUE'S.

PT. NIAGAMAS LESTARI GEMILANG

FAIR

Bersikap Adil dan Bijak
dalam Mengambil Setiap Keputusan
di Segala Aspek Ruang Lingkup Pekerjaan.

RESPECT

Mampu Menjalankan Etika dan Prilaku yang Baik
Menghargai Proses Institusi, Budaya dan Hubungan
Menghormati Proses dan Ketentuan Perusahaan
yang Telah ditentukan di dalam Kegiatan Sehari - Hari.

LEARNING

Mengedepankan Pembelajaran
Sebagai Hal yang Penting dalam Pengembangan Diri
Team dan perusahaan.

www.niagamas.com

PRICE LIST

ZERO

Rp. 2.640.000

Input voltage	: 220V / 50 Hz
Current range	: 10 - 120 Amp
Duty cycle	: 60%@ 120A / 100%@85A
Capacity	: 5 KVA
Class of insulation	: IP21S/F
Applied Welding Rod	: 1.6-3.2 mm
Net weight	: 5.10 kg
External dimension	: 353x193x44mm
Standard accessories	:



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



Kacamata
Las



Separated
Belt

MMAi 120

Rp. 3.200.000

Input voltage	: 220V / 50 Hz
Current range	: 10 - 110 Amp
Duty cycle	: 60%@ 110A 100%@85A
Capacity	: 5 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 1.6-3.2 mm
Net weight	: 5.10 kg
External dimension	: 353x193x445mm
Standard accessories	:



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



Kacamata
Las

MMAi 160

Rp. 4.400.000

Input voltage	: 220V / 50 Hz
Current range	: 10 - 155 Amp
Duty cycle	: 60%@ 155A 100%@130A
Capacity	: 7.0 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 1.6-4 mm
Net weight	: 5.20 kg
External dimension	: 413x198x423mm
Standard accessories	:



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



Kacamata
Las

PRICE LIST

MMAi 200

Input voltage	: 220V / 50 Hz
Current range	: 10 - 180 Amp
Duty cycle	: 60%@ 180A
	: 100%@140A
Capacity	: 8 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 1.6-4 mm
Net weight	: 5.20 kg
External dimension	: 413x198x423mm
Standard accessories	:

Rp. 5.280.000



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m

MMAi 220

Input voltage	: 220V / 50 Hz
Current range	: 10 - 200 Amp
Duty cycle	: 60%@ 200A
	: 100%@ 155A
Capacity	: 10 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 1.6-5.0 mm
Net weight	: 5.40 kg
External dimension	: 413x198x423mm
Standard accessories	:

Rp. 5.348.000



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



Kacamata
Las

MMA 220HD

Input voltage	: 220V / 50 Hz
Current range	: 10 - 200 Amp
Duty cycle	: 60%@ 200A
	: 100%@ 155A
Capacity	: 10 KVA
Class of insulation	: IP21 S/F
Applied welding rod	: 1.6-5.0 mm
Net weight	: 7.5 kg
External dimension	: 410x165x210mm
Standard accessories	:

Rp. 6.960.000



Electrode Holder
with cable 1,5 m



Earth Clamp with
Cable 1,5 m



Kedok Las
dan Sikat

PRICE LIST

MMA 250

Input voltage	: 380V / 50 Hz
Current range	: 30 - 250 Amp
Duty cycle	: 80%@ 250A
	: 100%@224A
Capacity	: 15.8 KVA
Class of insulation	: IP21S
Applied welding rod	: 1.6-5.0 mm
Net weight	: 8 kg
Standard accessories	:


Rp. 15.280.000



NEW



Electrode Holder



Earth Clamp



Male Connector
Accessories



Male Connector
Accessories



Male Connector
Accessories

MMA 300

Input voltage	: 380V / 50 Hz
Current range	: 30 - 300 Amp
Duty cycle	: 60%@ 300A
	: 100%@233A
Capacity	: 15.8 KVA
Class of insulation	: IP21S
Applied welding rod	: 1.6-6.0 mm
Net weight	: 8 kg
Standard accessories	:


Rp. 16.560.000



NEW



Tube 3 m




Earth Clamp with
Cable 1,5 m



Hose Clamp



Male Connector
Accessories



Male Connector
Accessories



Male Connector
Accessories

PRICE LIST

MMA 400

Input voltage	: 380V / 50 Hz
Current range	: 20 - 400 Amp
Duty cycle	: 60%@ 400A
	: 100%@ 310A
Capacity	: 29.64 KVA
Class of insulation	: IP21S
Applied welding rod	: 1.6-6.0 mm
Net weight	: 27.2 kg
Standard accessories	:

Rp. 22.000.000



Electrode Holder 3M



Earth Clamp 2M



Welding Mask



Brush



Male Connector Accessories



Male Connector Accessories



Male Connector

Aksesoris



Electrode Holder with cable 1,5 m



Earth Clamp with Cable 1,5 m

MMA 250

Rp. 1.092.000

MMA 300

Rp. 1.092.000

MMA 400

Rp. 1.312.500

PRICE LIST

MIGi 130 2T/4T (MANUAL & AUTOMATIC)

Input voltage	: 220V / 50 Hz
Current range	: 30 - 130 Amp (MIGi)
Max. Ampere	: 27 A
Effective Max. Ampere	: 23 A
Capacity	: 6 KVA
Class of insulation	: IP21S
Applied welding rod	: 0.8-1.0 mm
Net weight	: 7.5 kg
External dimension	: 275 x 135 x 238 mm
Standard accessories	:



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m

Rp. 5.760.000



MIGi 130 2T/4T (MANUAL & AUTOMATIC)

Input voltage	: 220V / 50 Hz
Current range	: 15 - 130 Amp (MMA) 30 - 130 Amp (TIG) 30 - 130 Amp (MIG)
Max. Ampere	: 27 A (MMA) 17.6 A (TIG) 21.5 A (MIG)
Effective Max. Ampere	: 12.1 A (MMA) 7.9 A (TIG) 9.7 A (MIG)
Capacity	: 5.94 KVA (MMA) 3.8 KVA (TIG) 4.73 KVA (MIG)
Class of insulation	: IP21S
Applied welding rod	: 1.6-3.2 mm
Net weight	: 7 kg
External dimension	: 445 x 255 x 315 mm
Standard accessories	:

Rp. 6.480.000



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



Nozzle
& Wire Feed Roll



Separated
Belt

PRICE LIST

MIGi 135 XL

Input voltage	: 220V / 50 Hz
Current range	: 30 - 130 Amp (MIG)
Max. Ampere	: 24 A
Effective Max. Ampere	: 15.1 A
Capacity	: 5 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 0.8, 0.9 mm
Net weight	: 8 kg
External dimension	: 510 x 325 x 370 mm
Standard accessories	:

Rp. 9.526.000



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m

MIGi 160

Input voltage	: 220V / 50 Hz
Current range	: 30 - 160 Amp
Max. Ampere	: 27 A
Effective Max. Ampere	: 12.1 A
Capacity	: 5.5 KVA
Class of insulation	: IP21S
Wire	: 0.6, 0.8, 1.0
Applied Welding rod	: 3.2 mm (Max)
Net weight	: 12 kg
Standard accessories	:

Rp. 10.160.000



NEW



Earth Clamp



Electrode Holder



Torch




Hose



Wire Feed Roll



Hose Clamp



Nozzle, Wrench

PRICE LIST

MIGi 200

Input voltage	: 220V / 50 Hz
Current range	: 30 - 200 Amp
Max. Ampere	: 36 A
Effective Max. Ampere	: 16.1 A
Capacity	: 7.9 KVA
Class of insulation	: IP21S
Wire	: 0.6, 0.8, 1.0
Applied Welding rod	: 4.00 mm (Max)
Net weight	: 13 kg
Standard accessories	:

Rp. 12.560.000



Earth Clamp



Electrode Holder



Torch




Hose



Wire Feed Roll



Hose Clamp



Nozzle, Wrench

MIGi 200

Input voltage	: 220V / 50 Hz
Current range	: 30 - 200 Amp (MIGi)
Max. Ampere	: 40 A
Effective Max. Ampere	: 22 A
Capacity	: 9 KVA
Class of insulation	: IP21S
Applied welding rod	: 0.8-1,2 mm
Net weight	: 17 kg
External dimension	: 490 x 305 x 345 mm
Standard accessories	:

Rp. 13.360.000



Earth Clamp with
Cable 2 m



Electrode Holder
with cable 2 m



MIG Torch 3 m



Gas Hose

PRICE LIST

MIG 250

Input voltage	: 220V
Input Current	: MMA 51A TIG 36A MIG 52A
No Load Power	: MMA 56V TIG 56V MIG 56V
Frequency	: 50 - 60Hz
Output Voltage	: MMA 20.8V-29.2V TIG 10.8V-19.2V MIG 15.5V-26.5V
Output Current	: MMA 20A-230A TIG 20A-230A MIG 30A-250A
Class of insulation	: IP21S/F
Duty Cycle	: MMA 35% @40 TIG 25% @40 MIG 35% @40
Net Weight / Gross Weight	: 45 kg / 49.7 kg
External dimension	: 696x560x643mm
Standard accessories	:

Rp. 30.240.000



Electrode Holder
with cable 1,5 m



Earth Clamp with
Cable 1,5 m



MIG Torch

MIG 350 (With Wheels)

Input voltage	: 380V / 50 Hz
Current range	: 30 - 350 Amp (MIG) 20 - 350 Amp (MMA) 20 - 350 Amp (TIG)
Duty cycle	: 40% @250A
Capacity	: 15.46 KVA (MIG) 16.45 KVA (MMA) 13.16 KVA (TIG)
Class of insulation	: IP21
Net weight	: 55.5 kg
External dimension	: 95x51x142mm
Standard accessories	:

Rp. 68.240.000



MIG Torch




Electrode Holder
with cable 1,5 m



Earth Clamp with
Cable 1,5 m



Aviation Plug Wire



Gas Hose

PRICE LIST

MIG 500

Rp. 76.640.000

Input voltage	: 380V / 50 Hz
Current range	: 80 - 300 Amp (MMA) 40 - 500 Amp (MIG)
Duty cycle	: 60%@500A
Capacity	: 26 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 0.8-1.2 mm
Net weight	: 50 kg
External dimension	: 795x460x695mm
Standard accessories	:



Separated wire feeder



Regulator CO2



MIG Torch

PRICE LIST

TIGi 160

Rp. 8.368.000

Input voltage	: 220V / 50 Hz
Current range	: 10 - 160 Amp
Duty cycle	: 60% @ 160A
Capacity	: 6 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 1.6-4.0 mm
Net weight	: 7.5 kg
External dimension	: 410x165x210mm
Standard accessories	:



Gas Hose



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



Kacamata
Daiden



TIG Torch 4m

TIGi 165

Rp. 9.280.000

Input voltage	: 220V / 50 Hz
Current range	: 10 A - 165 A (TIG) 10 A - 135 A (MMA)
Duty cycle	: 30% @ 40° C (TIG) 30% @ 40° C (MMA)
Class of insulation	: IP21S
Applied welding rod	: 3.2 mm (MMA)
Capacity	: 6.29 KVA (MMA) 5.412 KVA (TIG)
Net weight	: 6 kg
Standard accessories	:



Gas Hose



Earth Clamp



Electrode Holder



TIG Torch Set



Hose Clamp



Torch Accessories

TIG 200 - PULSE

Rp. 11.520.000

Input voltage	: 220V / 50 Hz
Current range	: 10 - 200 Amp
Duty cycle	: 40% @ 200A
Capacity	: 9 KVA
Class of insulation	: IP21S/F
Applied welding rod	: 1.6-4.0 mm
Net weight	: 7.5 kg
External dimension	: 410x165x210mm
Standard accessories	:



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



TIG Torch 4m

PRICE LIST

TIGi 220

Rp. 10.720.000

Input voltage	: 220V / 50 Hz
Current range	: 10 - 220 Amp
Duty cycle	: 30% @ 40° C (MMA) 30% @ 40° C (TIG)
Capacity	: 7.4 KVA
Class of insulation	: IP21
Applied welding rod	: 1.6-4.0 mm
Net weight	: 6.8 kg
Standard accessories	:



Gas Hose



Earth Clamp



Electrode Holder



TIG Torch Set



Torch Accessories

TIGi 315 ACDC

Rp. 40.880.000

Input voltage	: 380V / 50 Hz
Current range	: 20 - 315 Amp
Duty cycle	: 40% @ 315 A 60% @ 258 A 100% @ 199 A
Capacity	: MMA 13,82 KVA TIG 10,53 KVA
Class of insulation	: IP21S
Applied welding rod	: 1.6-6.0 mm
Net weight	: 36.20 kg
Gross Weight	: 37.20 kg
Standard accessories	:



TIG Torch



Earth Clamp



Electrode Holder



Torch Accessories

PRICE LIST

ACDC-200

Input voltage	: 220V / 50-60 Hz
Current range	: 10 - 200 A (TIG) 10 - 170 A (MMA)
Duty cycle	: 25%@ 200A 100%@ 100 A
Max Ampere	: 29,8 Amp (TIG) 36 Amp (MMA)
Effective Max Ampere	: 14,9 Amp (TIG) 18 Amp (MMA)
Applied Welding Rod	: 1.6 - 5.0 mm
Capacity	: 6,56 KVA
Class of Insulation	: IPS 21S
Net weight	: 15,5 Kgs

Standard accessories :



Earth Clamp With
2M Cable



Electrode Holder
With 2M Cable



TIG Torch 4M



Clean Torch 4M



Torch Accessories



Gas Hose 3M



Hose Clamp

Rp. 25.200.000



NEW

ACDC-200

Input voltage	: 220V / 50-60 Hz
Current range	: 10 - 200 Amp
Duty cycle	: 25%@ 200A 100%@ 100 A
Max Ampere	: 30 Amp (TIG) 34 Amp (MMA)
Effective Max Ampere	: 17 Amp (TIG) 15 Amp (MMA)
Applied Welding Rod	: 1.6 - 5.0 mm
Capacity	: 7 KVA
Class of Insulation	: IPS 21S
Net weight	: 22 Kgs
External dimension	: 508x308x355mm
Standard accessories	:



Earth Clamp with
Cable 1,5 m



Electrode Holder
with cable 1,5 m



TIG Torch Set

Rp. 24.036.000



PRICE LIST

CUT 70 (WITHOUT BUILT IN COMPRESSOR)

Rp.22.000.000

Input voltage	: 380V
Rated Output Amp	: 60 Amp (CUT) 200 Amp (MMA)
Duty cycle	: 40% (CUT) 40% (MMA)
Freq	: 50-60 Hz
Capacity	: 10,53 KVA (CUT) 9,5 KVA (MMA)
Quality Cutting	: 15 mm
Severe Cutting	: 25 mm
Net weight	: 23 kg
Standard accessories	:



NEW



Electrode Holder



Torch



Earth Clamp



Gas Hose



Bracket



Hose Clamp



Wrench

CUT 70 (WITH BUILT IN COMPRESSOR)

Rp. 32.320.000

Input voltage	: 380V
Rated Output Amp	: 70 Amp (CUT) 200 Amp (MMA)
Duty cycle	: 40% (CUT) 40% (MMA)
Quality Cutting	: 15 mm
Severe Cutting	: 25 mm
Net weight	: 43 kg

OILESS Compressor

Power	: 1272 ± 10%
Flow Rate	: 130 L / Min
Pressure	: 4 BAR

Standard accessories :



NEW



Electrode Holder



Torch



Earth Clamp



Gas Hose



Bracket



Hose Clamp



Wrench

PRICE LIST

CUT 40 (2T/4T Pilot Arc)

Mild Steel: 8 mm / 12 mm | Stainless Steel: 6 mm / 8 mm

Input voltage : 220V / 50 Hz
Current range : 15 - 40 Amp
Duty cycle : 20%@40A
: 100%@18A

Capacity : 6 KVA
Class of insulation : IP21S/F
Net weight : 9 kg
External dimension : 505x305x333mm
Standard accessories :

Rp. 8.880.000



Gas Hose



Cutting Torch 4 m



Earth Clamp with
Cable 3 m

CUT 45

Mild Steel: 16 mm / 28 mm | Stainless Steel: 16 mm / 18 mm

Input voltage : 220V / 50 Hz
Current range : 15 - 45 Amp
Duty cycle : 60%@40A
: 100%@29A

Capacity : 6 KVA
Class of insulation : IP21S/F
Net weight : 13 kg
External dimension : 505x305x333mm
Standard accessories :

Rp. 28.320.000



Cutting Torch 5 m



Earth Clamp with
Cable 1,5 m

CUT 70

Mild Steel: 20 mm / 25 mm | Stainless Steel: 16 mm / 18 mm

Input voltage : 380V / 50 Hz
Current range : 20 - 70 Amp
Duty cycle : 60%@60A
: 100%@47A

Capacity : 14 KVA
Class of insulation : IP21S/F
Net weight : 27 kg
External dimension : 700x368x538mm
Standard accessories :

Rp. 20.948.000



Gas Hose



Cutting Torch 5 m



Earth Clamp with
Cable 1,5 m

PRICE LIST

CUT 100 (WITHOUT BUILT IN COMPRESSOR)

Rp. 29.760.000

Input voltage	: 380V
Output Current	: 30A-100A
Duty cycle	: 40%@100A
	: 100%@65A
Capacity	: 7.5 KVA
Net Weight	: 29 Kg
Class Of Insulation	: IP21S

Standard accessories :



Earth Clamp with
Cable 1,5 m



4m gas Hose



Brackets



Nozzles



Nozzles



Hose Clamps



Wrench



5m Torch



CUT 100 (WITH BUILT IN COMPRESSOR)

Rp. 43.200.000

Input voltage	: 380V
Rated Output Amp	: 100 Amp (CUT)
	: 300 Amp (MMA)
Duty cycle	: 35% (CUT)
	: 35% (MMA)
Quality Cutting	: 30 mm
Severe Cutting	: 50 mm
Net weight	: 48.2 kg
External dimension	: 678x334x581mm

OILESS Compressor

Power	: 1500 W
Flow Rate	: 160 L / Min
Pressure	: 4 - 7 BAR

Standard accessories :



Electrode Holder
with cable 1,5 m



Cutting Torch 5 m



Earth Clamp with
Cable 1,5 m




PRICE LIST

MIG 350

Input voltage	: 3-phase, 50/60 Hz, AC 380V $\pm$ 15%
Rate Input Current	: 21.2A
Rated Power Supply Capacity (KVA)	: 14 KVA
Recomended Fuse Capacity (A)	: 60A
MMA Welding Current Range (A)	: 20~350
MIG Current Range (A)	: 50~350
MIG Voltage Range (V)	: 15~38
No-load Voltage (V)	: 65V
Wire Feed Speed Range (m/min)	: 1.5~18
Electrode diameter Applicable (mm)	: 0.8/1.0/1.2
Rated Duty Cycle	: 30% 40°C
Efficiency (%)	: 85
Power Factor	: 0.93
Protection Class	: IP21S


Rp. 68.240.000.000



MIG 500

Input voltage	: 3-phase, 50/60 Hz, AC 380V $\pm$ 15%
Rate Input Current	: 37.5A
Rated Power Supply Capacity (KVA)	: 24.7 KVA
Recomended Fuse Capacity (A)	: 60A
MMA Welding Current Range (A)	: 20~500
MIG Current Range (A)	: 50~500
MIG Voltage Range (V)	: 15~48
No-load Voltage (V)	: 75V
Wire Feed Speed Range (m/min)	: 1.5~21
Electrode diameter Applicable (mm)	: 0.8/1.0/1.2/1.6
Rated Duty Cycle	: 30% 40°C
Efficiency (%)	: 85
Power Factor	: 0.93
Protection Class	: IP21S

Rp. 76.640.000



PRICE LIST

GENERATOR WELDER 7000

Rp. 45.920.000

No Load Voltage	: 75V DC
Output Range	: 10 to 200 Amp
Duty cycle	: 30%@ 185 Amp
	: 100%@100 Amp
Electrode Diameter	: 1.6 - 5.0 mm

ENGINE

Engine Type	: Air Cooled, 4 Stroke, Electric Starter
Power	: 16 HP, 420 cc
Tank Capacity	: 30 L
Speed	: 3600 RPM
Net Weight	: 95 kg



Laser Welder LW 1500

Rp. 336.000.000

Output Power	: 1500 W
Output Power Adjustment Range	: 10-100%
Laser Wavelength	: 1080 ± 10nm
Power Consumption	: < 1%
Power Stability	: 20 kHz
Laser Response Time	: < 10us
Indication Laser Power Range	: < 1mW

TORCH

Type	: Handheld welding Torch with Wirefeeder
Collimating Focal Length	: 50 mm
Focal Length	: 150 mm
Fiber Length	: 10 mm (or customermize)

WORKING CONDITION

Cooling method	: Water cooling
Ambient Temperature	: 10-40°C
Input Voltage	: 220 ± 10% Vac
Power Consumption (including water cooling)	: ≤ 8 kW
Humidity	: 10-85%

MECHANICAL SPEC

Dimension	: 990x415x685mm
Weight	: < 100 Kg

Standard accessories :



PRICE LIST

LW-2000W

Rp. 450.000.000

Output Power	: 2000W
Adjustment Range	: 10 - 100%
Laser Wavelength	: 1080 ± 10 nm
Indication Laser Power Range:	<1mW
Type	: Handheld Welding Torch With Wirefeeder
Collimating Focal Lenght	: 60mm
Focal Lenght	: 150mm
Fiber Lenght	: 10m (or customersize)
Colling Method	: Water Cooling
Ambient Temperature	: <1mW
Input Voltage	: $220 \pm 10\%$ Vac 50/60 Hz
Power Consumption	: 8.5 KW
Dimension (LxWxHmm)	: 973 x 485 x 800
Weight (Gross)	: <160 Kg

NEW



LW-3000W

Rp. 550.000.000

Output Power	: 3000W
Adjustment Range	: 10 - 100%
Laser Wavelength	: 1080 ± 10 nm
Indication Laser Power Range:	<1mW
Type	: Handheld Welding Torch With Wirefeeder
Collimating Focal Lenght	: 60mm
Focal Lenght	: 150mm
Fiber Lenght	: 10m (or customersize)
Colling Method	: Water Cooling
Ambient Temperature	: 10 - 40°C
Input Voltage	: $380 \pm 10\%$ Vac 50/60 Hz
Power Consumption	: 11 KW
Dimension (LxWxHmm)	: 1120 x 510 x 1060
Weight (Gross)	: <200 Kg

NEW



ALW-1500W

Rp. 350.000.000

Output Power	: 1500W
Adjustment Range	: 10 - 100%
Laser Wavelength	: 1080 ± 10 nm
Indication Laser Power Range:	<1mW
Type	: Handheld Welding Torch With Wirefeeder
Collimating Focal Lenght	: 50mm
Focal Lenght	: 150mm
Fiber Lenght	: 10m (or customersize)
Colling Method	: Air Cooling
Ambient Temperature	: 10 - 40°C
Input Voltage	: $220 \pm 10\%$ Vac 50/60 Hz
Power Consumption	: 5 KW
Dimension (LxWxHmm)	: 632 x 358 x 582
Weight (Gross)	: <69 Kg

NEW



PRICE LIST

WELDING MAGNET AM-12

Rp 63.000

Spesifikasi

Siku magnet	: 45° / 80° / 135°
Ukuran umum	: 25 LBS
Bahan	: Magnet, Metal, Plastik



WELDING MAGNET AM-25

Rp 126.000

Spesifikasi

Siku magnet	: 45° / 90° / 135°
Ukuran umum	: 50 LBS
Bahan	: Magnet, Metal, Plastik



PRICE LIST


WELDING WIRE E71T-11

Spesifikasi

Ukuran umum : 0.8 mm
Berat : 1 kg

Rp 231,000

Ukuran umum : 0.8 mm
: 1 kg



SELF - SHIELD FLUX CORED WIRE E71T-11

Spesifikasi

Size : 0.8 mm
Net weight : 5 kg

Rp 1.109.000



FLUX CORE WIRE STAINLESS STEEL E308LT0-3

Spesifikasi

Size : Ø 0.9 mm
Net weight : 1 kg

Rp 608.000



WELDING WIRE E71t-1C (FLUX CORE 1.2mm-15Kg) WITH GAS CO2 100%

Rp 1.050.000



PRICE LIST

KANNO 500

Rp 752,000

Standard Approved	: CE, EN379, ECS
CE Optical Class	: 1/1/1/2
Cartridge Size	: 110x90x9mm
Viewing Area	: 96x39mm
True Color	: Yes
Shade State	: DIN4/9-13
Shade Control	: External
Grinding Function	: Yes, DIN4 (External)
Sensitivity Control	: Stepless Variable (Internal)
Arc Sensors	: 2
Delay Time	: 0.1 - 1.0s Stepless Variable (Internal)
UV/IR Protection	: DIN16
Power Supply	: Solar Cell & Replaceable Li-Battery
Li-Battery Replaceable	: 1xCR2032
Low Battery Indicator	: YES
Tig Rating	: Enhanced
QTY	: 6 PCS/ Master carton



EIJI 10X

Rp 1.360,000

Standard Approved	: CE, ANSI, CSA
CE Optical Class	: V2(1/1/1/2)
Cartridge Size	: 143X133X28mm
Viewing Area	: 116X81mm (14,6in2)
True Color	: Yes
Memory Mode	: No
Shade State	: W3/4-8/9-13
Shade Control	: LED
Grinding Function	: Yes
Sensitivity Control	: 5 Levels Adjust
Arc Sensors	: 4
Delay Time	: 0.05 - 2.05
UV/IR Protection	: Permanent
Power Supply	: Solar Cell *2* Lithium Batteries
Li-Battery Replaceable	: 2*CR2450
Low Battery Indicator	: YES
Tig Rating	: >2A
QTY	: 6 PCS/ carton



PRICE LIST

ROBIN 500

Rp 752,000

Standard Approved	: CE
Cartridge Size	: 110x90x9mm (4.33x3.54x0.35in)
Viewing Area	: 96x39mm
True Color	: Yes
Shade State	: W3/4-8/9-13
Shade Control	: External Knob Adjust & Internal Button Adjust
Grinding Function	: Yes, Shade 3 (External)
Sensitivity Control	: Internal Variable
Arc Sensors	: 2
Delay Time	: 0.04 - 1.0 detik, INTERNAL
UV/IR Protection	: DIN16
Power Supply	: Solar Cell & Replaceable Battery
Li-Battery Replaceable	: 2xCR1032
Low Battery Indicator	: YES
Tig Rating	: >5A
GW/NM	: 1 KG/0.5 KG
QTY	: 6 PCS/ Master carton



PRICE LIST

BA 730 4" GRINDER 720w Specifications

Voltage	: 220V~50Hz
Input Power	: 720 watt
No Load Speed	: 12000 r/min
Grinding Wheel Diameter	: 100 mm
Inner Hole of Grinding Wheel	: 16 mm
Spindle	: M10
Weight	: 1.5 kg

Rp 840.000



BA 735 4" GRINDER 620w Specifications

Voltage	: 220V~50Hz
Input Power	: 620 watt
No Load Speed	: 12500 r/min
Grinding Wheel Diameter	: 100 mm
Inner Hole of Grinding Wheel	: 16 mm
Spindle	: M10
Weight	: 1.3 kg

Rp 796.000



BA 735-C 4" GRINDER 620W Specifications

Voltage	: 220V
No Load Speed	: 12.500 RPM
Grinding Wheel Diameter	: 100 mm
Spindle	: M10
Daya	: 620w

Rp 820.000



BA 770-C 4" SIDE SWITCH ANGLE GRINDER 720w Specifications

Voltage	: 220V~50Hz
Input Power	: 720 watt
No Load Speed	: 12000 r/min
Grinding Wheel Diameter	: 100 mm
Inner Hole of Grinding Wheel	: 16 mm
Spindle	: M10
Weight	: 1.6 kg

Rp 864.000



PRICE LIST

BA 1050 4" GRINDER INDUSTRIAL 1050W

Specifications

Voltage	: 220V~50Hz
Input Power	: 1050 watt
No Load Speed	: 12000 r/min
Grinding Wheel Diameter	: 100 mm
Inner Hole of Grinding Wheel	: 16 mm
Spindle	: M10
Weight	: 1.7 kg

Rp 1.368.000



BA 876 7" GRINDER 2000w

Specifications

Voltage	: 220V~50Hz
Input Power	: 2000 watt
No Load Speed	: 8400 r/min
Grinding Wheel Diameter	: 180 mm
Inner Hole of Grinding Wheel	: 22.2 mm
Spindle	: M14
Weight	: 4.8 kg

Rp 3.536.000



BA 632 10mm DRILL 320w Re

Specifications

Voltage	: 220V~50Hz
Input Power	: 320 watt
No Load Speed	: 3300 r/min
Chuck Capacity	: 10 mm
Steel	: ø 6 mm
Alumunium	: ø 10 mm
Wood	: ø 15 mm
Weight	: 0,8 kg

Rp 740.000



BA 652 10mm DRILL 450w Re

Specifications

Voltage	: 220V~50Hz
Input Power	: 450 watt
No Load Speed	: 0-3500 r/min
Chuck Capacity	: 10 mm
Steel	: ø 10 mm
Alumunium	: ø 15 mm
Wood	: ø 25 mm
Weight	: 1.1 kg

Rp 844.000





POWERTOOLS

METAL WORKING SERIES

PRICE LIST

BA 712 DIE GRINDER 550w

Specifications

Voltage	: 220V~50Hz
Input Power	: 550 watt
No Load Speed	: 32000 r/min
Spindle Coller Diameter	: 32 mm
Clamping Specifications	: 6 mm
Weight	: 1.6 kg

Rp 1.610.000





POWERTOOLS

HAMMER SERIES

PRICE LIST

BA 670 13mm IMPACT DRILL 550w

Specifications

Voltage	: 220V~50Hz
Input Power	: 550 watt
No Load Speed	: 0-2800 r/min
Max Impact Rate	: 44800 bpm
Chuck Capacity	: 13 mm
Steel	: ø 13 mm
Concrete	: ø 13 mm
Wood	: ø 25 mm
Weight	: 1.9 kg

Rp 1.134.000



BA130 CUT OFF SAW MACHINE 2200w

Specifications

Voltage	: 220V~50Hz
Input Power	: 2200 watt
No Load Speed	: 3800 r/min
Cutting Disc Diameter	: 355 mm
Cutting Ability	: 90°
Round Steel	: 125 mm
Square Steel	: 119 mm
	: 45°
Round Steel	: 115 mm
Square Steel	: 106 mm
Weight	: 17.5 kg

Rp 4.270.000



PRICE LIST

BA 280 26mm ROTARY HAMMER 3 MODE

Specifications

Voltage	: 220V~50Hz
Input Power	: 800 watt
No Load Speed	: 0-1300 r/min
Impact Rate	: 0-4600 min
Impact Energy	: 2.7 J
Capacity	: Concrete : ø 26 mm
	Steel : ø 13 mm
	Wood : ø 30 mm
Weight	: 2.5 kg
Three Functions	: Drill/Hammer Drill/ Hammer

Rp 2.380.000



BA 228 28mm ROTARY HAMMER 2 MODE - SDS PLUS

Specifications

Voltage	: 220V~50Hz
Input Power	: 1000 watt
No Load Speed	: 0-900 r/min
Impact Rate	: 0-4300 bpm
Impact Energy	: 5 J
Capacity	: Concrete : ø 28 mm
Weight	: 4.5 kg
Three Functions	: Hammer Drill/Hammer

Rp 2.520.000



BA 255 Demolition Hammer 1200w

Specifications

Voltage	: 220V~50Hz
Input Power	: 1200 watt
Impact Rate	: 0-4100 r/min
Impact Energy	: 15J
Protect Grade	: □ / II
Insulated Grade	: E
Net Weight	: 6.0 kg

Rp 3.454.000



BA 275S DEMOLITION HAMMER

Voltage / Freq	: 220V-50Hz
Power	: 1500W
No Load Speed	: 1000-2000 Bpm
Impact Energy	: 16.8J

Rp 7.412.000





POWERTOOLS

HAMMER SERIES

PRICE LIST

BA 295 Demolition Hammer 1400w Specifications

Voltage	: 220V~50Hz
Input Power	: 1400 watt
Impact Rate	: 1950 r/min
Impact Energy	: 45 J
Protect Grade	:  / II
Insulated Grade	: E
Net Weight	: 16 kg

Rp 6.876.000



PRICE LIST

BA 3260 PALM SANDER 260w

Specifications

Voltage	: 220V~50Hz
Input Power	: 260 watt
No Load Speed	: 13500 r/min
Plate Size	: 102 x 113 mm
Paper Size	: 115 x 140 mm
Sanding Base	: 140 x 115 mm
Orbit Diameter	: 1.5 mm
Weight	: 1.1 kg

Rp 1.144.000



BA 330 ORBITAL SANDER 300w

Specifications

Voltage	: 220V / 50Hz
Input Power	: 300 watt
No Load Speed	: 13000 rpm
Sanding Base	: 92 x 180 mm
Plate Size	: 92 x 180 mm
Paper Size	: 93 x 230 mm
Orbit Diameter	: 2.4 mm
Weight	: 1.6 kg

Rp 1.264.000



BA 126 ELECTRIC PLANER

Specifications

Voltage	: 220V~50Hz
Input Power	: 600 watt
No Load Speed	: 16500 r/min
Planing size	: 82 x 2 mm
Weight	: 2.9 kg

Rp 1.850.000



BA 117 ELECTRIC CIRCULAR SAW 185 MM

Specifications

Voltage	: 220V
Frequency	: 50 Hz
Input Power	: 1050 watt
No Load Speed	: 4900 r/min
Diameter	: 185 mm
Weight	: 1.1 kg

Rp 2.020.000





POWERTOOLS

WOOD WORKING

PRICE LIST

BAE47 WOOD TRIMMER

Rp 1.196.000

Specifications

Voltage	: 220 V
Power	: 470W
No Load Speed	: 3.300 R/Min
Collet Capacity	: 6.35 mm
Weight	: 2 Kg



PRICE LIST

BA 116 MARBLE CUTTER

Specifications

Voltage	: 220V~50Hz
Input Power	: 1400 watt
No Load Speed	: 13000 r/min
Cutting Disc Diameter	: 110 mm
Cutting Ability	: 34 mm
Sawblade Bore Diameter	: 20 mm
Weight	: 2.7 kg

Rp 1.762.000



BA 125 MITTER SAW

Specifications

Blade	: 255 mm (10")
No Load Speed	: 5000 RPM
Input Power	: 2000 Watt
Bevel Angel	: 45°
Weight	: 12.4 Kg

Rp 5.572.000





POWERTOOLS

CORDLESS BRUSHED

PRICE LIST

BD 616 10mm CORDLESS DRILL (1.5 AH) 16V

Rp 1.540.000

Specifications

Voltage	: 16 V
No Load Speed	
High Mode	: 0-400 r/min
Medium Mode	: 0-1500 r/min
Capacity Drilling	
Wood	: 28 mm
Metal	: 10 mm
Tightening Torque (Max)	: 35 N.m
Rechargeable Battery	: 16V (1.5 Ah 4 Cells) Terdapat Charger dan 2 Battery
Weight	: 1.8 kg



BD 618 10mm CORDLESS DRILL (1.5 AH) 21V

Rp 1.820.000

Specifications

Voltage	: 21 V
No Load Speed	
High Mode	: 0-400 r/min
Medium Mode	: 0-1300 r/min
Capacity Drilling	
Wood	: 38 mm
Metal	: 13 mm
Tightening Torque (Max)	: 55 N.m
Rechargeable Battery	: 21V (1.5 Ah 5 Cells) Terdapat Charger dan 2 Battery
Weight	: 1.8 kg



PRICELIST

BD636P CORDLESS BRUSHLESS IMPACT DRILL

Rp 1.690.000

Specifications

Voltage	: 12 V
No Load Speed	: 500-1800 R/Min
Max Torque	: 30 N.M
Drilling	: 10 mm
Weight	: 2.08 Kg



BD637P CORDLESS IMPACT DRILL

Rp 2.528.000

Specifications

Voltage	: 20V
No Load Speed	: 0 - 500 R/Min 0 - 1800 R/Min
Max Screw Diameter	: 10mm
Torque Setting	: 20 + 3
Max Drill Capacity	: Steel 10mm Wood 30mm



BD 617 CORDLESS BRUSHLESS IMPACT DRILL

(2 Batteries + 1 Charger)

Rp 3.320.000

Specifications

Voltage	: 20V
Input Power	: 2.0 Ah
No Load Speed	: 0-2000 RPM
Chuck	: 13 mm
Weight	: 3.3 kg



PRICE LIST

BD560 CORDLESS IMPACT DRIVER

Rp 2.696.000

Specifications

Voltage	: 20V / 2 Ah
No Load Speed	: 0 - 3600 R/Min
Impact Freq	: 0 - 4200 R/Min
Max Torque	: 230 NM
Drilling	: 6.35 mm
Weight	: 2.08 Kg



BD 550S

Rp 3.360.000

Specifications

Voltage	: 20V
Capacity Ebattery	: 4.0 Ah
Rate Impact	: 0-3000 RPM
Tool Holder	: 12.7 mm (1/2 In)
Weight	: 3.9 Kg



BD 570 CORDLESS IMPACT WRENCH

Rp 3.646.000

No Load Speed	: 0-2500/3000 Rpm
Measurable Impact Level	: 0-3000 / 3400 Bpm
Max Torque	: 1/2" (12,7mm)
Weight	: 1,1 Kg



BD 760 CORDLESS BRUSHLESS ANGLE GRINDER (2 Batteries + 1 Charger)

Rp 3.996.000

Specifications

Voltage	: 20V
Disc Diameter	: 100 mm
Spindle	: M 10
Battery Type	: Lithium-Ion
Rechargeable Battery	: 20V - (4.0 Ah)
Weight	: 3.4 kg



PRICE LIST

BD 165 CORDLESS BRUSHLESS CIRCULAR SAW

(2 Batteries + 1 Charger)

Specifications

Voltage	: 20 V
Input Power	: 4.0 Ah
No Load Speed	: 4900 RPM
Blade Diameter	: 165 mm
Weight	: 5.3 kg

Rp 4.622.000



BD 219 CORDLESS HAMMER BRUSHLESS

Specifications

Voltage	: 20 V
Input Power	: 4.0 Ah
No Load Speed	: 0-14000 r/min
Impact rate	: 0-4500 bpm
Brushless motor	
Max Concrete	: 22 mm
Iron	: 13 mm
Wood	: 28 mm
Weight	: 1.9 Kg

Rp 4.200.000



PRICE LIST

MO-120

Rp 1.550.000

Input voltage	: 220 V
Current range	: 10 - 120 Amp
Duty cycle	: 120 A (35%) 91.7 A (60%) 71 A (100%)
Class of Insulation	: IP 21
Net weight	: 5 kg
External dimension	: 310 x 200 x 210 mm
Standard accessories	:




Electrode holder



Earth Clamp



Welding Mask



Welding Brush



MO 128

Rp 950.000

Input voltage	: 220 V
Current range	: 15A - 120A
Duty cycle	: 120 Amp (10%) 50 Amp (60%) 38 Amp (100%)
External dimension	: 238 x 163 x 201 mm
Class of Insulation	: IP 21
Net Weight	: 3.2Kg



Earth Clamp



Electrode holder

NEW



MO-160

Rp 2.100.000

Input voltage	: 220 V
Current range	: 10 - 160 Amp
Duty cycle	: 120 A (35%) 91.7 A (60%) 71 A (100%)
Class of Insulation	: IP 21
Net weight	: 5 kg
External dimension	: 313 x 153 x 281 mm
Standard accessories	:




Electrode holder



Earth Clamp



Welding Mask



Welding Brush



PRICE LIST

MO-200

Input voltage	: 220 V
Current range	: 10 - 200 Amp
Duty cycle	: 200 A (20%) 120 A (60%) 90 A (100%)
Class of Insulation	: IP 21
Net weight	: 3.8 kg
External dimension	: 360 x 160 x 280 mm
Standard accessories	:

Rp 3.600.000



Electrode holder



Earth Clamp



Welding Mask



Welding Brush



MO 300

Input voltage	: 380 V
Current range	: 30 - 300 Amp
Duty cycle	: 300 Amp (40%) 245 Amp (60%) 190 Amp (100%)
Phase	: 3 Phase
Class of Insulation	: IP 21S
Net weight	: 22.8 Kg
External dimension	: 431x 301 x 401 mm
Standard accessories	:

Rp 7.300.000



Earth Clamp



Electrode holder

NEW



MO 400

Input voltage	: 380 V
Frequency	: 50-60 Hz
Current range	: 20 - 400 Amp (MMA)
Duty cycle	: 400 Amp (80%) 283 Amp (100%)
Class of Insulation	: IP 21
Net weight	: 22.8 Kg
External dimension	: 661x 416 x 517 mm
Standard accessories	:

Rp 11.700.000



Earth Clamp



Electrode holder



Spoon

NEW



PRICE LIST

MIG 130

Input voltage	: 220 V / 50-60 Hz
Current range	: 15 - 120 Amp (MIG)
Duty cycle	: 80 Amp (100%) 120 Amp (60%)
Max Ampere	: 120 Amp
Effective Max Ampere	: 10.4 Amp
Applied Welding Rod	: 0.8, 0.9 mm
Capacity	: 5 KVA
Class of Insulation	: IPS 21
Net weight	: 7 kg
External dimension	: 397 x 285 x 230 mm
Standard accessories	:

WITHOUT WIRE

Rp 3.900.000

WITH WIRE

Rp 4.100.000




Electrode holder



Earth Clamp



Welding Mask



Welding Brush



MIG 138

Input voltage	: 220 V
Current range	: 20 - 120 Amp
Duty cycle	: 120 Amp (20%) 70 Amp (60%) 54 Amp (100%)
Phase	: 1 Phase
Class of Insulation	: IP 21S
Net weight	: 3.2 Kg
External dimension	: 393 x 263 x 216 mm
Standard accessories	:

Rp 2.800.000



Earth Clamp



Electrode holder



MIG Torch

NEW



MIG 200

Input voltage	: 220 V
Current range	: 20 - 180 Amp (MMA)
Duty cycle	: 180 Amp (25%) 117 Amp (60%) 90 Amp (100%)
Class of Insulation	: IP 21
Net weight	: 8 Kg
External dimension	: 661x 416 x 517 mm
Standard accessories	:

Rp 7.900.000



Earth Clamp



Electrode holder



MIG Torch



Selang



Contacttipe



Roller Wire

NEW



PRICE LIST

CUT 40

Stainless Steel 8 mm / Metal 12 mm

Input voltage : 220 V / 50-60 Hz
Current range : 15 - 40 Amp
Duty cycle : 25 Amp (100%)
40 Amp (60%)

Max Ampere : 40 Amp
Effective Max Ampere : 11.3 Amp
Capacity : 6.38 KVA
Class of Insulation : IPS 21 S
Net weight : 5.5 kg
External dimension : 430x 280 x 262 mm
Standard accessories :

Rp 5.100.000

NEW




Electrode holder



Earth Clamp



Welding Mask



Welding Brush

CUT 70

Stainless Steel 8 mm / Metal 12 mm

Input voltage : 380V
Rate Output Amp : 30A - 60A (CUT)
30A - 200A (MMA)
30A - 200A (TIG)

Duty Cycle : 60%
Frequency : 50 - 60 Hz
Net Weight : 23 Kg
Quality Cutting : 20mm
Severe Cutting : 25mm
Capacity : 8.5 KVA (CUT)
7.23 KVA (MMA)
5.26 KVA (TIG)

Standard accessories :

Rp 15.200.000

NEW



Electrode Holder



Torch



Earth Clamp



Gas Hose



Bracket



Hose Clamp



Wrench

PRICE LIST

MO 300SP

Rp 6.950.000

Input voltage	: 220 V
Current range	: 30A - 250A
Duty cycle	: 250 Amp (40%) 205 Amp (60%) 159 Amp (100%)
Class of Insulation	: IP 21S
Net weight	: 12 kg
Standard accessories	:



Electrode holder



Earth Clamp

NEW



TIG 200-P

Rp 6.900.000

Input voltage	: 220 V
Current range	: 15 - 200 Amp
Duty cycle	: 200 Amp (80%)
Class of Insulation	: IP 21
Net weight	: 5.9 kg
External dimension	: 425 x 260 x 310 mm
Standard accessories	:



TIG Torch 4 M



Electrode holder



Earth Clamp



Spare Parts

NEW



TIG 160-P

Rp 5.800.000

Input voltage	: 220 V
Current range	: 20A - 160A
Duty cycle	: 160 A (15%)
Class of Insulation	: IP 21S
Net weight	: 6,5kg
Standard accessories	:



TIG Torch



Earth Clamp



Spare Parts

NEW



PRICELIST

OIL-LESS COMPRESSOR OL 07-09

Specifications :

Rp 2.480.000

Tank capacity	: 9 L
Power	: 550 W/0.75Hp
Voltage / freq	: 220 V/50 HZ
Speed	: 1450 RPM
Insulation Class/ Grade	: B
Air Output	: 112 Liter/Min
Working Pressure	: 8 Bar
Cylinder diameter	: 64 mm
Capacitor	: 20 uF
Load Current	: 2,8 A
Net weight	: 13 KG
Safety Sistem	: Automatic pressure switch

Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.



OIL-LESS COMPRESSOR OL 07-24

Specifications :

Rp 2.800.000

Tank capacity	: 24 L
Power	: 550 W/0.75Hp
Voltage / freq	: 220 V/50 HZ
Speed	: 1450 RPM
Insulation Class/ Grade	: B
Air Output	: 112 Liter/Min
Working Pressure	: 8 Bar
Cylinder diameter	: 64 mm
Capacitor	: 20 uF
Load Current	: 2,8 A
Net weight	: 17,1 KG
Safety Sistem	: Automatic pressure switch

Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.



OIL-LESS COMPRESSOR OL 10-24

Specifications :

Rp 3.200.000

Tank capacity	: 24 L
Power	: 750 W/1Hp
Voltage / freq	: 220 V/50 HZ
Speed	: 1450 RPM
Insulation Class/ Grade	: B
Air Output	: 158,5 Liter/Min
Working Pressure	: 8 Bar
Cylinder diameter	: 64 mm
Capacitor	: 25 uF
Load Current	: 3,7 A
Net weight	: 17,7 KG
Safety Sistem	: Automatic pressure switch

Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.



PRICELIST

AIR COMPRESSOR DD - 0709

Specifications :

Tank capacity	: 9 L
Power	: 550 W/0,75HP
Voltage / freq	: 220 V/50 HZ
Speed	: 2800 RPM
Insulation Class/ Grade	: B
Air Output	: 43 Liter/Min
Working Pressure	: 8 Bar
Cylinder diameter	: 42 mm
Capacitor	: 20 uF
Load Current	: 4,2 A
Net weight	: 13,8 KG

Rp 2.160.000



Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisitasabung / gas silinder, mengisi udara pada ban, dll.

AIR COMPRESSOR DD - 1024

Specifications :

Tank capacity	: 24 L
Power	: 750 W/1HP
Voltage / freq	: 220 V/50 HZ
Speed	: 2800 RPM
Insulation Class/ Grade	: B
Air Output	: 120 Liter/Min
Working Pressure	: 8 Bar
Cylinder diameter	: 47 mm
Capacitor	: 35 uF
Load Current	: 6,3 A
Net weight	: 22,5 KG

Rp 2.600.000



Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisitasabung / gas silinder, mengisi udara pada ban, dll.

PRICELIST

OIL-LESS COMPRESSOR OL 1390SS-24 SUPER SPEED 2x2850RPM

Specifications :

Tank capacity	: 24 L
Capacity without load	: 254L/min
Capacity with load	: 106L/min
Power	: 1390 Watt
Voltage / freq	: 220 V/50 HZ
Speed	: 2x2850 RPM
Insulation Class/ Grade	: B
Working Pressure	: 8 Bar/116 PSI
Cylinder diameter	: 63.7 mm
Capacitor	: 28 uF
Net weight	: 22.7 KG

Rp 3.400.000



Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.

OIL-LESS COMPRESSOR OL 1390SS-50 SUPER SPEED 2x

Specifications :

Tank capacity	: 50 L
Capacity	: 254L/min
Power	: 1390W
Voltage / freq	: 220 V/50 HZ
Speed	: 2850 RPM
Insulation Class/ Grade	: B
Working Pressure	: 8 Bar/116 PSI
Cylinder diameter	: 63.7 mm
Capacitor	: 28 uF
Net weight	: 29.6 KG

Rp 5.200.000



Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.

OIL-LESS COMPRESSOR OL 1390SS2-100 SUPER SPEED 2x

Specifications :

Tank capacity	: 100 L
Capacity	: 508L/min
Power	: 1390W x 2
Voltage / freq	: 220 V/50 HZ
Speed	: 2850 RPM
Insulation Class/ Grade	: B
Working Pressure	: 8 Bar/116 PSI
Cylinder diameter	: 63.7 mm
Capacitor	: 28 uF
Net weight	: 63.3 KG

Rp 11.680.000



Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.

PRICE LIST

OIL-LESS COMPRESSOR OL 0809SS

Specifications :

Tank capacity	: 9L
Power	: 750 W/ 1 HP
Voltage / freq	: 220 V/50 HZ
Speed	: 2850 RPM
Insulation Class/ Grade	: B
Working Pressure	: 8 Bar
Capacitor	: 20 uF
Net weight	: 12 KG
Air Output	: 170 L/Min
Load Current	: 3,4 A

Rp 2.080.000

NEW



OIL-LESS COMPRESSOR OL 0824SS

Specifications :

Tank capacity	: 24L
Power	: 750 W/ 1 HP
Voltage / freq	: 220 V/50 HZ
Speed	: 2850 RPM
Insulation Class/ Grade	: B
Working Pressure	: 8 Bar
Capacitor	: 20 uF
Net weight	: 17 KG
Air Output	: 170 L/Min
Load Current	: 3,4 A

Rp 2.320.000

NEW



OIL-LESS COMPRESSOR OL 0509SS

Specifications :

Tank capacity	: 9L
Power	: 450W
Voltage / freq	: 220 V/50 HZ
Speed	: 2850 RPM
Insulation Class/ Grade	: B
Capacity Without Load	: 140 L/min
Capacity With Load	: 56 L/min
Working Pressure	: 8 Bar
Capacitor	: 20 uF
Amper	: 2.0 A
Cylinder	: 57.8 mm

Rp 2.080.000

NEW



PRICELIST

OIL-LESS COMPRESSOR OL 1390SS4-150 SUPER SPEED 2x

Specifications :

Tank capacity	: 150 L
Capacity	: 1060L/min
Power	: 1390W x 4
Voltage / freq	: 220 V/50 HZ
Speed	: 2850 RPM
Insulation Class/ Grade	: B
Working Pressure	: 8 Bar/116 PSI
Cylinder diameter	: 63.7 mm
Capacitor	: 30 uF
Net weight	: 92 KG

Rp 21.120.000



Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.

OIL-LESS COMPRESSOR OL 40M

Specifications :

Power	: 550 Watt / 0.75 HP
Voltage / freq	: 220 V/50 HZ
Speed	: 1450 RPM
Phase	: 1

Rp 2.320.000



Berfungsi untuk menyuplai udara bersih bertekanan tinggi untuk mengisi tabung / gas silinder, mengisi udara pada ban, dll.

OIL-LESS COMPRESSOR OL0524SS

Specifications :

Tank capacity	: 24L
Power	: 450W
Voltage / freq	: 220 V/50 HZ
Speed	: 2850 RPM
Insulation Class/ Grade	: B
Capacity Without Load	: 140 L/min
Capacity With Load	: 56 L/min
Working Pressure	: 8 Bar
Capacitor	: 20 uF
Amper	: 2.0 A

Rp 2.320.000

NEW



PRICE LIST

GASOLINE GENERATOR - GS 4300

Rp 9.160.000

Specifications :

Fuel Tank Capacity	: 15 Liter
Continuous Operating Time	: 10 Hours
Oil Capacity	: 0,6 Liters
Alternator	: Copper
Rated Voltage	: 220 V
Rated Frequency	: 50 Hz
Engine Type	: 170 F, 4 Stroke
Rated Output	: 3300 W
Max. Output Power	: 3600 W
HP	: 7 hp
Phase	: 1 Ph
Rated RPM	: 3000 rpm



GASOLINE GENERATOR - GS 6500

Rp 15.336.000

Specifications :

Fuel Tank Capacity	: 25 Liter
Continuous Operating Time	: 9 Hours
Oil Capacity	: 1,1 Liters
Alternator	: Copper
Rated Voltage	: 220 V
Rated Frequency	: 50 Hz
Engine Type	: 190 F, 4 Stroke
Rated Output	: 5000 W
Max. Output Power	: 5500 W
HP	: 15 Hp
Phase	: 1 Ph
Rated RPM	: 3000 rpm



GASOLINE GENERATOR - GS 8500

Rp 17.616.000

Specifications :

Fuel Tank Capacity	: 25 Liter
Continuous Operating Time	: 9 Hours
Oil Capacity	: 1,1 Liters
Alternator	: Copper
Rated Voltage	: 220 V
Rated Frequency	: 50 Hz
Engine Type	: 190 F, 4 Stroke
Rated Output	: 7000 W
Max. Output Power	: 7500 W
HP	: 17 Hp
Phase	: 1 Ph
Rated RPM	: 3000 rpm



PRICE LIST

GASOLINE GENERATOR - GI 4300

Rp 9.160.000

Specifications :

Rated Output	: 3.5 Kw
Max. Output	: 3.7 Kw
Rated Voltage	: 220 V
Rated Frequency	: 50 Hz
Oil Capacity	: 0.6 Liter
Fuel Tank Capacity	: 7 Liter
Engine Type	: Single Cylinder, 4 Stroke
Irrigation System	: TCI
Phase	: 1 PHASE
G.W / N.W	: 31 / 29 KGS



GASOLINE GENERATOR - GE 2000

Rp 3.436.000

Specifications :

Fuel Tank Capacity	: 7 Liter
Oil Capacity	: 0.35 Liter
Voltage	: 220 V
Frequency	: 50 Hz
Rated Output	: 1.0 KW
Max Output	: 1.2 KW
Engine	: 160 F
Power	: 4 HP



GASOLINE GENERATOR - GE 3200

Rp 6.760.000

Specifications :

Fuel Tank Capacity	: 15 Liter
Oil Capacity	: 0.6 Liter
Voltage	: 220 V
Frequency	: 50 Hz
Rated Output	: 2 KW
Max Output	: 2.2 KW
Engine	: 170 F
Power	: 7 HP
Alternator	: Copper



PRICE LIST

GASOLINE GENERATOR - GE 3800

Rp 7.688.000

Specifications :

Fuel Tank Capacity	: 15 Liter
Oil Capacity	: 0.6 Liter
Voltage	: 220 V
Frequency	: 50 Hz
Rated Output	: 2.5 KW
Max Output	: 2.8 KW
Engine	: 170 F
Power	: 7HP
Alternator	: Copper



GASOLINE GENERATOR - GE 4000

Rp 8.176.000

Specifications :

Fuel Tank Capacity	: 15 Liter
Oil Capacity	: 0.6 Liter
Voltage	: 220 V
Frequency	: 50 Hz
Rated Output	: 2.8 KW
Max Output	: 3.0 KW
Engine	: 170 F
Power	: 7 HP
Alternator	: Copper



GASOLINE GENERATOR - GE 4300

Rp 8.976.000

Specifications :

Fuel Tank Capacity	: 15 Liter
Oil Capacity	: 0.6 Liter
Voltage	: 220 V
Frequency	: 50 Hz
Rated Output	: 3.2 KW
Max Output	: 3.5 KW
Engine	: 170 F
Power	: 8HP
Alternator	: Copper



KYUHO

キユホ

PRICE LIST

DISC GRINDER LG 100

Rp. 700.000,-

Specification:

Input Power.....	650 W
No Load speed.....	11.000 rpm
Net weight.....	1.9 kg
Depressed Center Wheel.....	100mm



DISC GRINDER LG 100S

Rp. 950.000,-

Specification:

Input Power.....	740W
No Load speed.....	11.000 rpm
Net weight.....	1.9 kg
Depressed Center Wheel.....	100mm



DISC GRINDER K7

Rp. 650.000,-

Specification:

Input Power.....	670 W
No Load speed.....	11.000 rpm
Net weight.....	1.9 kg
Depressed Center Wheel.....	100mm



KYUHO

키호

PRICE LIST

DISC GRINDER K107R

Rp. 880.000,-

Specification:

Input Power.....750 W
No Load speed.....11.000 rpm
Net weight.....1.9 kg
Depressed Center Wheel.....100mm




CUT OFF LG 355 CO

Rp. 3.400.000,-

Specification:

Voltage.....220 V/50Hz
Wheel Diameter.....355 mm
Input Power.....2200 W
No Load Speed.....4000 r/min
Net Weight.....17 Kg



CUT OFF KO 360

Rp. 3.400.000,-

Specification:

Voltage.....220 V/50Hz
Wheel Diameter.....355 mm
Input Power.....2200 W
No Load Speed.....4000 r/min
Net Weight.....18 Kg



PRICE LIST

BRUSHLESS DRILL KD-16V50 Rp. 1.000.000,-

Specification:

Voltase.....20V
 No Load speed.....0-1550 RPM
 Chuck.....10mm
 Max. Drill Cap.....Steel 10m
 Wood 30mm
 Torque.....50 N.m



BRUSHLESS DRILL KD-20V55 Rp. 1.200.000,-

Specification:

Voltase.....20V
 No Load speed.....0-1550 RPM
 Chuck.....10mm
 Max. Drill Cap.....Steel 10m
 Wood 30mm
 Torque.....55 N.m



BRUSHLESS IMPACT WRECH KI-20V380 Rp. 2.160.000,-

Specification:

Voltase.....20V
 No Load speed.....0-285 RPM
 Tingkat Benturan.....0-3000 RPM
 Torque.....380 N.m



PRICE LIST

Cordless Drill NLG 12VS

Rp. 480.000,-

Input Power.....12V
No Load speed.....1350 rpm
Drilling capacity.....10mm - 25mm



KYUHO

キユホ

PRICE LIST

ELECTRIC DRILL K 450 D

Rp. 620.000,-

Specification:

Input Power (Watt)..... 450W
Voltage/Freq..... 220 V/50Hz
No Load Speed (rpm)..... 0 - 3300 rpm
Drill Bit Diameter (mm)..... Ø.10 mm



● Double Insulation



IMPACT DRILL K 550 I

Rp. 740.000,-

Specification:

Input Power (Watt)..... 550W
Voltage/Freq..... 220 V/50Hz
No Load Speed (rpm)..... 0 - 3000 rpm
Drill Bit Diameter (mm)..... Ø.13 mm



● Double Insulation



IMPACT DRILL K 5500 I INC DRILL BITS

Rp. 1.040.000,-

Input Power (Watt)..... 550W
Voltage/Freq..... 220 V/50Hz
No Load Speed (rpm)..... 0 - 3000 rpm
Drill Bit Diameter (mm)..... Ø.13 mm



● Double Insulation



KYUHO

キユホ

PRICE LIST

ROTARY HAMMER K 26

Rp. 2.200.000,-

Specification:

Voltage.....	220V~50/60Hz
Input Power.....	800 watt
Impact Rate	0-4000min
Impact Energy	3.0 J
No Load Speed (rpm).....	0 - 900 rpm
Capacity: Brickwork.....	Ø68.mm..
Concrete.....	Ø26.mm.....
Steel.....	Ø13.mm.....
Wood.....	Ø30.mm.....
Net Weight.....	3.25 Kg



● Double Insulation



SANDER KSO 110

Rp.840.000,-

Specification:

Voltage.....	220V/50 HZ
Pad Size.....	100X110 mm
Input Power.....	230 W
Orbit per min.....	13,000 r/min
Net Weight.....	1 Kg



● Double Insulation



SANDER KSO 185

Rp. 900.000,-

Specification:

Voltage.....	220V/50 HZ
Pad Size.....	93 x 185 mm
Input Power.....	320 W
Orbit per min.....	14,000 r/min
Net Weight.....	2 Kg



● Double Insulation



KYUHO

キユホ

PRICE LIST

PLANER K282

Rp. 1.460.000,-

Specification:

Voltage.....220V~50/60Hz
 Input Power.....580 watt
 Planing Width..... $\varnothing$ 82 mm...
 Planing Depth.....2 mm
 Rabetting0 - 9 mm
 No Load Speed (rpm).....16,500 rpm
 Net Weight.....2.9 Kg



● Double Insulation



TRIMMER KTR600

Rp. 1.180.000,-

Specification:

Voltage.....220V/50 HZ
 Collet Capacity.....6.35 mm
 Input Power.....600 W
 No Load Speed.....30,000 rpm
 Base.....82 x 90 mm
 Net Weight.....1.5 Kg



● Double Insulation



CIRCULAR SAW MK 7

Rp. 1.360.000,-

Specification:

Voltage/Freq.....220V/50 HZ
 Blade Diameter.....185 mm
 Max. Cutting at 90.....65 mm
 at 45.....44 mm
 Input Power.....1300 W
 No Load Speed.....5000 rpm
 Net Weight.....4.5 Kg



● Double Insulation



ARTIX

AIR COMPRESSOR

PRICE LIST

COMPRESSOR DIRECT DA 07-09

Rp 2.160.000

Specifications

Daya	: 550 watt / 0.75 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 2800 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 72 Liter / min
Kapasitas Dengan Beban	: 43 Liter / min
Tekanan	: 8 Bar
Vol. Tangki	: 9 L
Kapasitor	: 20 uF
Berat	: 13.8 KG



COMPRESSOR DIRECT DA 10-24

Rp 2.600.000

Specifications

Daya	: 750 watt / 1 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 2800 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 205 Liter / min
Kapasitas Dengan Beban	: 120 Liter / min
Tekanan	: 8 Bar
Vol. Tangki	: 24 L
Kapasitor	: 20 uF
Berat	: 22.5 KG



COMPRESSOR OIL-LESS HS1390-24

Rp 3.456.000

Specifications

Daya	: 1390 watt
Tegangan	: 220 V / 50 Hz
Kecepatan	: 2850 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 254 Liter / min
Kapasitas Dengan Beban	: 106 Liter / min
Tekanan	: 8 Bar / 116 Psi
Dia. Cylinder	: 63.7 mm
Vol. Tangki	: 24 L
Kapasitor	: 28 uF
Berat	: 22.3 KG
Arus	: 5.89 A



ARTIX

AIR COMPRESSOR

PRICE LIST

COMPRESSOR OIL-LESS OA 07-09

Rp 2.240.000

Specifications

Daya	: 550 watt / 0.75 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 1450 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 112 Liter / min
Kapasitas Dengan Beban	: 40 Liter / min
Tekanan	: 8 Bar
Dia. Cylinder	: 64 mm
Vol. Tangki	: 9 L
Kapasitor	: 20 uF
Berat	: 14 KG
Arus	: 2.8 A



COMPRESSOR OIL-LESS OA 07-24

Rp 2.480.000

Specifications

Daya	: 550 watt / 0.75 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 1450 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 112 Liter / min
Kapasitas Dengan Beban	: 40 Liter / min
Tekanan	: 8 Bar
Dia. Cylinder	: 64 mm
Vol. Tangki	: 24 L
Kapasitor	: 20 uF
Berat	: 17.1
Arus	: 2.8 A



COMPRESSOR OIL-LESS OA 10-24

Rp 2.800.000

Specifications

Daya	: 750 watt / 1 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 1450 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 158.5 Liter / min
Kapasitas Dengan Beban	: 56.6 Liter / min
Tekanan	: 8 Bar
Dia. Cylinder	: 63.7 mm
Vol. Tangki	: 24 L
Kapasitor	: 25 uF
Berat	: 18.8
Arus	: 3.7 A



ARTIX

AIR COMPRESSOR

PRICE LIST

COMPRESSOR OIL-LESS OA1006SS

Rp 2.080.000

Specifications

Daya	: 750 watt / 1 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 2850 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 160 Liter / min
Kapasitas Dengan Beban	: 60 Liter / min
Tekanan	: 8 Bar
Dia. Cylinder	: 57.8 mm
Vol. Tangki	: 6 L
Kapasitor	: 20 uF
Arus	: 2.8 A
Berat	: 17.1 KG



COMPRESSOR OIL-LESS OA1009SS

Rp 2.160.000

Specifications

Daya	: 750 watt / 1 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 2850 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 160 Liter / min
Kapasitas Dengan Beban	: 60 Liter / min
Tekanan	: 8 Bar
Dia. Cylinder	: 57.8 mm
Vol. Tangki	: 9 L
Kapasitor	: 20 uF
Arus	: 3.5 A
Berat	: 12 KG



COMPRESSOR OIL-LESS OA1018SS

Rp 2.640.000

Specifications

Daya	: 750 watt / 1 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 2850 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 160 Liter / min
Kapasitas Dengan Beban	: 60 Liter / min
Tekanan	: 8 Bar
Dia. Cylinder	: 57.8 mm
Vol. Tangki	: 18 L
Kapasitor	: 20 uF
Arus	: 3.5 A
Berat	: 14 KG



ARTIX

AIR COMPRESSOR

PRICE LIST

COMPRESSOR OIL-LESS OA0509SS

Rp 2.080.000

Specifications

Daya	: 450 Watt
Tegangan	: 220 V / 50 Hz
Kecepatan	: 1450 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 140 Liter / min
Kapasitas Dengan Beban	: 56 Liter / min
Tekanan	: 8 Bar
Vol. Tangki	: 9 L
Kapasitor	: 20 uF
Berat Kotor	: 13 Kg
Berat Bersih	: 12 Kg



COMPRESSOR OIL-LESS OA0824SS

Rp 2.320.000

Specifications

Daya	: 750 watt / 1 HP
Tegangan	: 220 V / 50 Hz
Kecepatan	: 2850 RPM
Kelas Insulasi	: B
Kapasitas Tanpa Beban	: 170 Liter / min
Kapasitas Dengan Beban	: 68 Liter / min
Tekanan	: 8 Bar
Vol. Tangki	: 24 L
Kapasitor	: 20 uF
Berat Kotor	: 18 Kg
Berat Bersih	: 17 Kg



ARTIX

AIR COMPRESSOR

PRICE LIST

COMPRESSOR OIL-LESS OA-40 M

Rp 2.000.000

Specifications

Daya	
Tegangan	: 550 watt / 0.75 HP
Kecepatan	: 220 V / 50 Hz
Kelas Insulasi	: 1450 RPM
Kapasitas Tanpa Beban	: B
Kapasitas Dengan Beban	: 112 Liter / min
Tekanan	: 40 Liter / min
Dia. Cylinder	: 8 Bar
Vol. Tangki	: 64 mm
Kapasitor	: 9 L
Arus	: 20 uF
	: 2.8 A



PRICE LIST


ELECTRODE HOLDER

NLG Italy Type 200A Mix	Qty : 50/Box	Rp 69.000
NLG American Type 800A Mix	Qty : 30/Box	Rp 134.000
Kurt German Type 800A Mix	Qty : 25/Box	Rp 120.000
Kurt German Type 600A Mix	Qty : 50/Box	Rp 92.000



EARTH CLAMP

NLG Earth Clamp 300A	Qty : 100/Box	Rp 33.000
NLG Earth Clamp 500A	Qty : 50/Box	Rp 51.000



PRICE LIST

ELECTRODE HOLDER

Daiden 300A Full Brass

Qty : 50/Box

Rp 88.000



ELECTRODE HOLDER

Daiden 600A Full Brass

Qty : 50/Box

Rp 129.000



PRICE LIST

ELECTRODE HOLDER

IZUMI Italy Type 200A Full Iron

Qty : 50/Box

Rp. 51.000



PRICE LIST

NO	KODE BARANG	MODEL	HARGA
1	NLG02TOR-025	MIG 138 MIG TORCH GASLESS 3.5M	Rp. 500.000



PRICE LIST

MIG 350 Torch (Japan Connector)

4 m / Panasonic Type
Gas Cooled
Duty Cycle 60%: 340A CO2, 300A Mix
Wire Size: 0.8-1.6mm
Qty : 1/Box

Rp. 1.913.000



MIG 350 Torch (Euro Connector)

4 m / Panasonic Type
Gas Cooled
Duty Cycle 60%: 340A CO2, 300A Mix
Wire Size: 0.8-1.6mm
Qty : 1/Box

Rp. 1.664.000



MIG 500 Torch (Japan Connector)

4 m / Panasonic Type
Gas Cooled
Duty Cycle 60%: 500A CO2, 450A Mix
Wire Size: 0.8-1.6mm
Qty : 1/Box

Rp. 2.252.000



MIG 500 Torch (Euro Connector)

4 m / Panasonic Type
Gas Cooled
Duty Cycle 60%: 500A CO2, 450A Mix
Wire Size: 0.8-1.6mm
Qty : 1/Box

Rp. 2.067.000



PRICE LIST

MIG 15AK Torch (Euro Connector)

4 m With Spring Pins
Gas Cooled
Duty Cycle 60%: 180A CO2, 150A Mix
Wire Size: 0.6-1.0mm
Qty : 1/Box

Rp. 903.000



MIG 25AK Torch (Euro Connector)

4 m With Spring Pins
Gas Cooled
Duty Cycle 60%: 230A CO2, 200A Mix
Wire Size: 0.8-1.2mm
Qty : 1/Box

Rp. 1.451.000



MIG 24KD Torch (Euro Connector)

4 m With Spring Pins
Gas Cooled
Duty Cycle 60%: 250A CO2, 220A Mix
Wire Size: 0.8-1.2mm
Qty : 1/Box

Rp. 1.493.000



MIG 36KD Torch (Euro Connector)

4 m With Spring Pins
Euro Connector
Gas Cooled
Duty Cycle 60%: 340A CO2, 300A Mix
Wire Size: 0.8-1.6mm
Qty : 1/Box

Rp. 1.997.000



PRICE LIST

PLASMA Torch SG55

4 m / M16*1.5
2 Holes Connector / Oem Hanle
Duty Cycle 60%: 60A
Gas: Air
Gas Pressure: 4.5-5.0 Bar
Gas Flow: 160LPM
Ignition: HF
Post Flow: 40s recommended
Qty : 1/Box

Rp. 1.043.000



PLASMA Torch P80 (100A)

4 m / M16*1.5
Duty Cycle 60%: 80A
Gas: Air
Gas Pressure: 4.5-5.0 Bar
Gas Flow: 220LPM
Ignition: HF
Post Flow: 80s recommended
Qty : 1/Box

Rp. 1.631.000



PLASMA Torch P80 (60A)

4 m / M16x1.5
Duty Cycle 60%: 60A
Gas: Air
Gas Pressure: 4.5-5.0 Bar
Gas Flow: 220LPM
Ignition: HF
Post Flow: 80s recommended
Qty : 1/Box

Rp. 1.507.000



PLASMA Torch PT31

5 m M16*1.5
Duty Cycle 60%: 30A
Gas: Air
Gas Pressure: 4.5-5.0 Bar
Gas Flow: 150LPM
Ignition: HF
Post Flow: 40s recommended
Qty : 1/Box

Rp. 824.000



PRICE LIST

PLASMA Torch AG60

5 m / M16*1.5
Duty Cycle 60%: 60A
Gas: Air
Gas Pressure: 4.5-5.0 Bar
Gas Flow: 160LPM
Ignition: HF
Post Flow: 40s recommended
Qty : 1/Box

Rp. 1.167.000



PRICE LIST

Torch SINTIG 9

8 m / M12x1
Gas Cooled
Duty Cycle 35% DC: 110A
Duty Cycle 35% AC: 95A
Electrode Size: 0.5-1.6mm
Qty : 1/Box

Rp. 1.367.000



Torch SINTIG 17

8 m / M12x1
Gas Cooled
Duty Cycle 35% DC: 140A
Duty Cycle 35% AC: 125A
Electrode Size: 0.5-2.4mm
Qty : 1/Box

Rp. 1.372.000



Torch SINTIG 18

8 m / M12x1
Water Cooled
Duty Cycle 100% DC: 320A
Duty Cycle 100% AC: 240A
Electrode Size: 0.5-4.0mm
Qty : 1/Box

Rp. 1.450.000



Torch SINTIG 26

8 m / M12x1
Gas Cooled
Duty Cycle 35% DC: 180A
Duty Cycle 35% AC: 150A
Electrode Size: 0.5-4.0mm
Qty : 1/Box

Rp. 1.834.000



PRICE LIST

TORCH FOR DAIDEN TIGi 220

MODEL	HARGA
NLG08TOR-020	Rp 1.800.000



TORCH FOR DAIDEN TIGi 165

MODEL	HARGA
NLG08TOR-021	Rp 1.200.000



TORCH FOR DAIDEN TIG 200ACDC

MODEL	HARGA
NLG08TOR-022	Rp 2.350.000



TORCH FOR DAIDEN TIG 315ACDC

MODEL	HARGA
NLG08TOR-023	Rp 2.500.000




PRICE LIST

NO	MODEL	ISI / DUS	HARGA
1	NLG02NOZ-010 - OUTSIDE NOZZLE PT-31	10	Rp 6.600
2	NLG02NOZ-011 - OUTSIDE NOZZLE SG-55	10	Rp 8.700
3	NLG02NOZ-012 - CERAMIC OUTSIDE NOZZLE/P80	10	Rp 7.700



MODEL	ISI / DUS	HARGA
NLG02DIF-001 - DIFFUSER PT-31/LONG	10	Rp 4.900



MODEL	ISI / DUS	HARGA
NLG02WHE-013 - ISOLATED WHEEL/P80	10	Rp 103.000




NO	MODEL	ISI / DUS	HARGA
1	NLG02TIP-003 - TIP/D 1.0 PT31/LONG	10	Rp 8.700
2	NLG02TIP-004 - EXTEND TIP SG-55	10	Rp 15.700
3	NLG02TIP-005 - TIP 1.3mm/P80	10	Rp 24.800
4	NLG02TIP-006 - TIP 1.5mm/P80	10	Rp 24.800



PRICE LIST

NO	MODEL	ISI / DUS	HARGA
1	NLG02ELE-011 - ELECTRODE PT-31	10	Rp 15.200
2	NLG02ELE-012 - ELECTRODE PT-31/LONG	10	Rp 16.800
3	NLG02ELE-013 - ELECTRODE SG-55	10	Rp 14.700
4	NLG02ELE-014 - ELECTRODE/P80	10	Rp 17.800



MODEL	QUANTITY	HARGA
NLG02TIP-028 : EXTEND TIP 1,2MM FOR SG-55	1 PCS	Rp 15.700



MODEL	QUANTITY	HARGA
NLG02TIP-027 : TIP / D 1 PT 31 / SHORT	1 PCS	Rp



PRICE LIST

NO	MODEL	ISI / DUS	HARGA
1	NLG02NOZ-013 - GAS NOZZLE 12 14-15AK	10	Rp 22.200
2	NLG02NOZ-014 - GAS NOZZLE 12.5 24KD	10	Rp 33.400
3	NLG02NOZ-015 - GAS NOZZLE 15 25AK	10	Rp 34.100
4	NLG02NOZ-016 - GAS NOZZLE 16 36KD	10	Rp 71.700
5	NLG02NOZ-017- NOZZLE PANASONIC TYPE 350	10	Rp 59.300
6	NLG02NOZ-018- NOZZLE PANASONIC TYPE 500	10	Rp 86.100
7	NLG02NOZ-033- UTSIDE NOZZLE FOR MIG 138 (BLACK)	8	Rp 12.500



NO	MODEL	ISI / DUS	HARGA
1	NLG02TIP-007 - CONTACT TIP /24KD/M6/26mm	10	Rp 7.700
2	NLG02TIP-008 - CONTACT TIP HOLDER /36KD/M6/32mm	10	Rp 12.400
3	NLG02TIP-009 - CONTACT TIP 0.6/M6*25	10	Rp 5.600
4	NLG02TIP-010 - CONTACT TIP 1.0/M6*25	10	Rp 5.600
5	NLG02TIP-011 - CONTACT TIP 0.8/M6*28	10	Rp 7.700
6	NLG02TIP-012 - CONTACT TIP 1.0/M6*28	10	Rp 7.700
7	NLG02TIP-013 - CONTACT TIP 1.2/M6*28	10	Rp 7.700
8	NLG02TIP-014 - CONTACT TIP 0.8/M8*30	10	Rp 11.500
9	NLG02TIP-015 - CONTACT TIP 1.0/M8*30	10	Rp 11.500
10	NLG02TIP-016 - CONTACT TIP 1.2/M8*30	10	Rp 11.500
11	NLG02TIP-017 - CONTACT TIP 0.8/M6*25 CU-CR-ZR	10	Rp 9.400
12	NLG02TIP-018 - CONTACT TIP 1.0/M6*25 CU-CR-ZR	10	Rp 9.400
13	NLG02TIP-019 - CONTACT TIP 0.8/M6*28 CU-CR-ZR	10	Rp 12.400
14	NLG02TIP-020 - CONTACT TIP 1.0/M6*28 CU-CR-ZR	10	Rp 12.400
15	NLG02TIP-021 - CONTACT TIP 1.2/M6*28 CU-CR-ZR	10	Rp 12.400
16	NLG02TIP-022 - CONTACT TIP 0.8/M8*30 CU-CR-ZR	10	Rp 17.800
17	NLG02TIP-023 - CONTACT TIP 1.0/M8*30 CU-CR-ZR	10	Rp 17.800
18	NLG02TIP-024 - CONTACT TIP 1.2/M8*30 CU-CR-ZR	10	Rp 17.800



PRICE LIST

NO	MODEL	ISI / DUS	HARGA
1	NLG02DIF-002 - GAS DIFFUSER WITH NOZZLE SPRING/15AK	10	Rp 16.400
2	NLG02DIF-003 - GAS DIFFUSER M6/35MM/25AK	10	Rp 13.600
3	NLG02DIF-004 - WHITE CERAMIC GAS DIFFUSER 24KD	10	Rp 4.500
4	NLG02DIF-005 - WHITE CERAMIC GAS DIFFUSER 36KD	10	Rp 5.600
5	NLG02DIF-006 - CERAMIC DIFFUSER PANASONIC 350	10	Rp 2.800
6	NLG02DIF-007 - CERAMIC DIFFUSER PANASONIC 500	10	Rp 4.500



NO	MODEL	ISI / DUS	HARGA
1	NLG02TOR-009 - TORCH HEAD FRONT PART PANASONIC 350	10	Rp 24.300
2	NLG02TOR-010 - TORCH HEAD FRONT PART PANASONIC 500	10	Rp 55.600



PRICE LIST

NO	MODEL	ISI / DUS	HARGA
1	NLG02PLU-020 - PLUG TRAK SK 25	10	Rp 17.300
2	NLG02PLU-021 - PLUG TRAK SK 35-50 Es.21MM	10	Rp 43.200
3	NLG02PLU-022 - PLUG TRAK SK 95 Es.24 MM	10	Rp 42.000
4	NLG02SOC-006 - PANEL SOCKET 10/25	10	Rp 15.200
5	NLG02SOC-007 - PANEL SOCKET TBE 35-50	10	Rp 46.900
6	NLG02SOC-008 - PANEL SOCKET 35-70	10	Rp 42.500



PRICE LIST

NO	MODEL	ISI / DUS	HARGA
1	NLG02CUP-001 - ALUMINA CUP GR4 TIG17-18-26	10	Rp 6.600
2	NLG02CUP-002 - ALUMINA CUP GR5 TIG17-18-26	10	Rp 6.600
3	NLG02CUP-003 - ALUMINA CUP GR6 TIG17-18-26	10	Rp 6.600
4	NLG02CUP-004 - ALUMINA CUP GR7 TIG17-18-26	10	Rp 6.600
5	NLG02CUP-005 - ALUMINA CUP GR8 TIG17-18-26	10	Rp 6.600
6	NLG02CUP-006 - ALUMINA CUP GR4 TIG17-18-26	10	Rp 4.900
7	NLG02CUP-007 - ALUMINA CUP GR5 TIG17-18-26	10	Rp 4.900
8	NLG02CUP-008 - ALUMINA CUP GR6 TIG17-18-26	10	Rp 4.900
9	NLG02CUP-009 - ALUMINA CUP GR7 TIG9-20-22-25	10	Rp 4.900



NO	MODEL	ISI / DUS	HARGA
1	NLG02COL-021 - COLLET BODY 1.6mm TIG17-18-26	10	Rp 14.700
2	NLG02COL-022 - COLLET BODY 2.4mm TIG17-18-26	10	Rp 14.700
3	NLG02COL-023 - COLLET BODY 3.2mm TIG17-18-26	10	Rp 14.700
4	NLG02COL-024 - COLLET BODY 1.6mm/TIG24-24W	10	Rp 10.300
5	NLG02COL-025 - COLLET BODY 2.4mm/TIG24-24W	10	Rp 10.300
6	NLG02COL-026 - COLLET 1.6mm TIG17-18-26	10	Rp 5.600
7	NLG02COL-027 - COLLET 2.4mm TIG17-18-26	10	Rp 5.600
8	NLG02COL-028 - COLLET 3.2mm TIG17-18-26	10	Rp 5.600
9	NLG02COL-029 - COLLET 1.6mm TIG9-20-25	10	Rp 4.900
10	NLG02COL-030 - COLLET 2.4mm TIG9-20-25	10	Rp 4.900
11	NLG02COL-031 - COLLET 3.2mm TIG9-20-25	10	Rp 4.900




PRICE LIST

NO	MODEL	ISI / DUS	HARGA
1	NLG02CAP-101 - LONG BACK CAP TIG17-18-26	10	Rp 7.700
2	NLG02CAP-102 - SHORT BACK CAP TIG17-18-26	10	Rp 6.600
3	NLG02CAP-103 - LONG BACK CAP TIG9-20-25	10	Rp 13.100
4	NLG02CAP-104 - SHORT BACK CAP TIG9-20-25	10	Rp 7.000




PRICE LIST

MODEL	HARGA
NLG02BRA-008 - BRACKET FOR CUT 45	Rp 68.000



MODEL	HARGA
NLG02DIF-009 - DIFFUSER FOR CUT 45	Rp 48.000



MODEL	HARGA
NLG02ELE-016 - ELECTRODE FOR CUT 45	Rp 48.000



MODEL	HARGA
NLG02NOZ-025 - NOZZLE FOR CUT 45	Rp 224.000



PRICE LIST

MODEL	HARGA
NLG02TIP-025 - TIP FOR CUT 45	Rp 256.000



MODEL	HARGA
NLG02TOR-012- PT45 CUTTING TORCH FOR CUT 45	Rp 3.264.000



PRICE LIST

NO	MODEL	BERAT/KARTON	HARGA/KG
1	NLG08ELE-011-WELDING ELECTRODE AWS E6013 (RN-25) 2.0mm x 300mm	2Kg	Rp 61.000
2	NLG08ELE-012-WELDING ELECTRODE AWS E6013 (RN-25) 2.6mm x 350mm	5Kg	Rp 51.000
3	NLG08ELE-013- WELDING ELECTRODE AWS E6013 (RN-25) 3.2mm x 350mm	5Kg	Rp 48.500

NO	MODEL	BERAT/BOX	HARGA/BOX
1	NLG08ELE-010-WELDING ELECTRODE AWS E6013 (RN-25) 2.0mm x 300mm (1KG/BOX)	1Kg	Rp 79.000
2	NLG08ELE-07-WELDING ELECTRODE AWS E6013 (RN-25) 2.0mm x 300mm (2KG/BOX)	2Kg	Rp 133.000
3	NLG08ELE-014-WELDING ELECTRODE AWS E6013 (RN-25) 2.6mm x 350mm (1KG/BOX)	1Kg	Rp 70.000
2	NLG08ELE-008-WELDING ELECTRODE AWS E6013 (RN-25) 2.6mm x 350mm (5KG/BOX)	5Kg	Rp 276.000
3	NLG08ELE-009-WELDING ELECTRODE AWS E6013 (RN-25) 3.2mm x 350mm (5KG/BOX)	5Kg	Rp 262.000



PRODUCT LIST

NO	MODEL	BERAT/KARTON	HARGA
1	WELDING ELECTRODE AWS E7016 (NS-716) 2,6mm x 350mm	5Kg	Rp. 319.000
2	WELDING ELECTRODE AWS E7016 (NS-716) 3,2mm x 350mm	5Kg	Rp. 314.000



NO	MODEL	BERAT/KARTON	HARGA
1	WELDING ELECTRODE AWS E7018 (NS-718) 2,6mm x 350mm	5Kg	Rp. 319.000
2	WELDING ELECTRODE AWS E7018- (NS-718) 3,2mm x 350mm	5Kg	Rp. 314.000



PRODUCT LIST

NO	MODEL	BERAT/KARTON	HARGA
1	WELDING ELECTRODE AWS E7016 (NS-716) 2,6mm x 350mm	5Kg	Rp. 319.000
2	WELDING ELECTRODE AWS E7016 (NS-716) 3,2mm x 350mm	5Kg	Rp. 314.000



PRICE LIST

KODE BARANG	MODEL	QUANTITY	HARGA
NLG08PRO-002	Protection glasses	1 PCS	Rp 750.000



NO	KODE BARANG	MODEL	QUANTITY	HARGA
1	NLG08NOZ-001	Nozzle, Wire Diameter $\leq 1.2\text{MM}$ AS12 80323017	1 PCS	Rp 162.500
2	NLG08NOZ-002	Nozzle, Wire Diameter $\leq 1.6\text{MM}$ BS16	1 PCS	Rp 162.500
3	NLG08NOZ-003	Nozzle, Wire Diameter $\leq 1.6\text{MM}$ CS12 80323019	1 PCS	Rp 162.500
4	NLG08NOZ-004	Nozzle, Wire Diameter $\leq 1.2\text{MM}$ ES1280323022	1 PCS	Rp 162.500
5	NLG08NOZ-005	Nozzle, Wire Diameter $\leq 1.6\text{MM}$ FS16	1 PCS	Rp 162.500



NO	KODE BARANG	MODEL	QUANTITY	HARGA
1	NLG08NOZ-006	Nozzle C, No Wire For External Corner Welding Thick Metal	1 PCS	Rp 162.500
2	NLG08NOZ-007	Cutting Nozzle M8 1.5 70101249	1 PCS	Rp 225.000



PRICE LIST

NO	KODE BARANG	MODEL	QUANTITY	HARGA
1	NLG08NOZ-008	Wire Nozzle For Diameter $\leq 1\text{MM}$ 70101247	1 PCS	Rp 162.500
2	NLG08NOZ-009	Wire Nozzle For Diameter $\leq 1.2\text{MM}$ 70101248	1 PCS	Rp 162.500
3	NLG08NOZ-010	Wire Nozzle For Diameter $\leq 1.6\text{MM}$ 70101249	1 PCS	Rp 162.500
4	NLG08NOZ-012	Wire Nozzle For Diameter $\leq 0.8\text{MM}$	1 PCS	Rp 162.500



NO	KODE BARANG	MODEL	QUANTITY	HARGA
1	NLG08ROL-001	U Roller 0.8/1.0MM 30800378	1 PCS	Rp 287.500
2	NLG08ROL-002	U Roller 1.2/1.6MM	1 PCS	Rp 287.500



NO	MODEL	QUANTITY	HARGA
1	NLG08ROL-003 - V Roller 0.8/1.0MM	1 PCS	Rp 287.500
2	NLG08ROL-004 - V Roller 1.2/1.6MM	1 PCS	Rp 287.500



PRICE LIST

MODEL	QUANTITY	HARGA
NLG08PRO-001 - Protect Lens 18*2 60801154	1 PCS	Rp 100.000




MODEL	QUANTITY	HARGA
CONVEX LENS, FOR WELDING MACHINE TORCH	1 PCS	Rp 700.000



MODEL	QUANTITY	HARGA
KEY FOR LW1500	1 PCS	Rp 87.500




MODEL	QUANTITY	HARGA
NLG08TUB-003 - TUBE 600-4 FT80 [P/N:80303013]	1 PCS	Rp 387.500



PRICE LIST

NO	KODE BARANG	MODEL	MODEL
1	NLG02TIP-031	CONTACT TIP 1.2/M6/ MIG 350-500	Rp 24.000
2	NLG08NOZ-009	CONTACT TIP 1.0/M6/ MIG 350-500	Rp 24.000
3	NLG08NOZ-010	CONTACT TIP 1.6/M6/ MIG 350-500	Rp 24.000



KODE BARANG	MODEL	HARGA
NLG02NOZ-031	CERAMIC NOZZLE WITH BRACKET AG60/CUT 40	Rp 28.000



NO	KODE BARANG	MODEL	HARGA
1	NLG02INS-006	INSULATOR TORCH/ PANASONIC/MIG 350	Rp 30.000
2	NLG02INS-007	INSULATOR TORCH/ PANASONIC/MIG 500	Rp 36.000



PRICE LIST

GASOLINE ENGINE LGX 160

Specifications

Max. torque	: 1,1 kgf-m/2500RPM
Max. output	: 4 kW/3600 RPM (5,5 HP)
Bore x stroke	: 68 x 45 mm
Displacement	: 163 CC
Starting system	: Recoil
Fuel tank capacity	: 3.6 L
Oil capacity	: 0.6 L
N.W / G.W	: 14 Kg / 15 Kg
Cooling system	: forced air cooled
Ignition system	: transistorized magneto

Rp 1.880.000



GASOLINE ENGINE LGX 200

Specifications

Max. torque	: 13,2 N.m / 3600 rpm
Max. output	: 4.3 kW / 3600 rpm (6.5 HP)
Bore x stroke	: 68 x 45 mm
Displacement	: 196 CC
Starting system	: Recoil
Fuel tank capacity	: 3.6 L
Oil capacity	: 0.6 L
N.W / G.W	: 13 Kg / 14 Kg
Cooling system	: forced air cooled
Ignition system	: transistorized magneto

Rp 1.880.000



GASOLINE ENGINE LGX 200R (RPM Rendah)

Specifications

Max. torque	: 13,2 N.m / 1800 rpm
Max. output	: 4.3 kW / 1800 rpm (6.5 HP)
Bore x stroke	: 68 x 45 mm
Displacement	: 196 CC
Starting system	: Recoil
Fuel tank capacity	: 3.6 L
Oil capacity	: 0.6 L
N.W / G.W	: 13 Kg / 14 Kg
Cooling system	: forced air cooled
Ignition system	: transistorized magneto

Rp 3.100.000



PRICE LIST

GASOLINE ENGINE WATER PUMP EWP 20 G

Specifications

Suction/discharge port : 50 mm (2")
 Rate speed (HP/RPM) : 3600 RPM
 Total head : 28 m
 Max. flow : 22 m³/h
 Max. suction head : 8 m
 Max. self priming time : 80 S/4M
 Engine type : 4 stroke, single cylinder OHV forced air cooled
 Engine bore x stroke : 68 x 45 mm
 Engine displacement : 163 cc
 Engine max. power output : 5,5 HP / 3600 RPM
 Fuel tank capacity : 3,6 L
 Engine oil capacity : 0,6 L
 N.W / G.W : 19,5 Kg / 21 Kg

Rp 2.800.000



GASOLINE ENGINE WATER PUMP EWP 30 G

Specifications

Suction/discharge port : 80 mm (3")
 Rate speed (HP/RPM) : 3600 RPM
 Total head : 30 m
 Max. flow : 30 m³/h
 Max. suction head : 8 m
 Max. self priming time : 120 S/4M
 Engine type : 4 stroke, single cylinder OHV forced air cooled
 Engine bore x stroke : 68 x 45 mm
 Engine displacement : 163 cc
 Engine max. power output : 5,5 HP / 3600 RPM
 Fuel tank capacity : 3,6 L
 Engine oil capacity : 0,6 L
 N.W / G.W : 22 Kg / 23 Kg

Rp 3.060.000





MASADA JACK

MASADA SEISAKUSHO CO.,LTD.
TOKYO JAPAN

PRICE LIST

LONG PROFILE JACK	HARGA/UNIT	
MHL - 2 MHL - 20	Rp 24.600.000 Rp 127.400.000	
MINI JACK	HARGA/UNIT	
MMJ - 5T MMJ - 5C MMJ - 10 MMJ - 20 MMJ - 50Y	Rp 8.400.000 Rp 5.400.000 Rp 20.900.000 Rp 23.700.000 Rp 52.700.000	
TOE JACK	HARGA/UNIT	
MHC - 2RS MHC - 5RS MHC - 10RS	Rp 11.900.000 Rp 15.100.000 Rp 22.600.000	
FORKLIFT JACK	HARGA/UNIT	
HFD - 10F - 3	Rp 17.600.000	
SPEED/SPACE ROLLER	HARGA/UNIT	
DUW - 3P (w/o Handle) DUW - 5P (w/o Handle) MUW - 5S (w/o Handle) HANDLE D - 1000	Rp 22.200.000 Rp 31.600.000 Rp 34.400.000 Rp 1.700.000	
TRANSMISSION JACK	HARGA/UNIT	
 HTM - 4S-3	Rp 52.800.000	



MASADA JACK

MASADA SEISAKUSHO CO.,LTD.
TOKYO JAPAN

PRICE LIST

BOTTLE JACK		HARGA/UNIT	
BOTTLE JACK MS - 2		Rp 920.000	
BOTTLE JACK MS - 3		Rp 1.080.000	
BOTTLE JACK MS - 5		Rp 1.350.000	
BOTTLE JACK MH - 10		Rp 2.400.000	
BOTTLE JACK MH - 15		Rp 3.270.000	
BOTTLE JACK MH - 20		Rp 3.700.000	
BOTTLE JACK MH - 30V		Rp 7.100.000	
BOTTLE JACK MH - 50Y		Rp 18.800.000	
BOTTLE JACK MH - 100Y		Rp 86.900.000	
SERVICE JACK (DONGKRAK BUAYA)		HARGA/UNIT	
SJ - 20S (2 Ton)		Rp 8.100.000	
SJ - 20L (2 Ton) Long		Rp 9.900.000	
SJ - 30H (3 Ton)		Rp 15.900.000	
SJ - 50H (5 Ton)		Rp 22.500.000	
SJ - 100H (10 Ton)		Rp 39.100.000	
HYDRAULIC PRESS		HARGA/UNIT	
MHP - 15 (15 Ton)		Rp 49.900.000	
AHP - 35 (35 Ton)		Rp 126.200.000	
AHP - 60 (60 Ton)		Rp 404.600.000	
LOCKING TYPE JACK		HARGA/UNIT	
MH - 5LS		Rp 16.700.000	
MH - 10LS		Rp 31.300.000	
MH - 15 LS		Rp 33.800.000	
MH - 20LS		Rp 37.100.000	
JACK WITH PRESSURE GAUGE		HARGA/UNIT	
MH - 7P		Rp 23.900.000	
MH - 10P		Rp 34.500.000	
MH - 15P		Rp 42.700.000	
MH - 20P		Rp 51.700.000	
MH - 30P		Rp 60.600.000	
MH - 50PY		Rp 71.900.000	
MH - 100PY		Rp 265.100.000	
HYDRAULIC PANTAGRAPH JACK		HARGA/UNIT	
 PRODUK BARU MODEL : MSJ-850 Capacity : 850 Kg Min. Height : 121 mm Lift. : 260 mm Max Height : 381 mm Weight : 5.9 Kg		Rp 4.100.000	



HIGH-PRESSURE CLEANER with Total Stop System ITALY TECHNOLOGY

PRICE LIST

HIGH PRESSURE CLEANER HPC - 45TSI

Rp. 2.136.000,-

Specifications	
Rated Power	: 900 Watt
Pressure	: 50 Bar
Working Flow Rate	: 5.5 L / Min
Max. Flow Rate	: 6.5 L / Min
Water Inlet Pressure	: 12 Bar
Voltage / Freq	: 220 V / 50Hz
Max. Water Inlet Temperature	: 50°C
Gross Weight / Net Weight	: 8.3 Kg / 7.5 Kg
Standard accessories	:



Extension Lance



Foam Lance
with Bottle Kit



Gun



Hose Length 5m



HIGH PRESSURE CLEANER HPC - 40TS

Rp. 2.136.000,-

Specifications	
Max Pressure	: 40 Bar
Working Flow Rate	: 4.6 L/Min
Max Pressure Water Supply	: 4 Bar
Motor Capacity	: 700 Watt
Voltage	: 220V / 50 Hz
Max Water Temperature	: 50°C
Weight	: 10
Dimension	: 40x28x28 cm



HIGH PRESSURE CLEANER HPC - 100TSI

Rp. 1.580.000,-

Specifications	
Max Pressure	: 100 Bar
Working Pressure	: 70 Bar
Rate Flow	: 6.5 L / Min
Power	: 550 W
Voltage / Freq	: 220V / 50 Hz
Hose Length	: 5 Meter
Max. Water Inlet Temperature	: 40°C
Gross Weight / Net Weight	: 6 Kg
Standard accessories	:



Quick Joint



Top
Connector



Garden Hose Filter



Inlet Connector



Foamer



5 M High
Pressure House



2M Garden Hose



Metal Gun



Extension + Adjustable
Nozzle





PRICE LIST

MAC 625

Rp. 2.419.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 0.75 HP / 0.65 KW
Air Delivery	: 80 L/min / 2.8 C.F.M
Tank Capacity	: 6 Liter
R.P.M	: 2850 r/min



MAC 965

Rp. 2.483.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 0.75 HP / 0.65 KW
Air Delivery	: 80 L/min / 2.8 C.F.M
Tank Capacity	: 9.5 Liter
R.P.M	: 2850 r/min



AC 1001

Rp. 2.996.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 1.0 HP / 0.75 KW
Air Delivery	: 115 L/min / 4.1 C.F.M
Tank Capacity	: 24 Liter
R.P.M	: 2850 r/min



AC 1002

Rp. 3.146.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 2.0 HP / 1.5 KW
Air Delivery	: 145 L/min / 5.1 C.F.M
Tank Capacity	: 24 Liter
R.P.M	: 2850 r/min





PRICE LIST

AC 1015

Rp. 3.061.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 1.5 HP / 1.1 KW
Air Delivery	: 130 L/min / 4.6 C.F.M
Tank Capacity	: 24 Liter
R.P.M	: 2850 r/min



AC 1065

Rp. 2.911.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 0.75 HP / 0.65 KW
Air Delivery	: 100 L/min / 3.5 C.F.M
Tank Capacity	: 24 Liter
R.P.M	: 2850 r/min



BAC 510 W/ MOTOR BAC 510 W/O MOTOR

Rp. 8.590.000,-

Rp. 6.737.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 1 HP / 0.75 KW
Air Delivery	: 130 L/min / 4.6 C.F.M
Tank Capacity	: 50 Liter
R.P.M	: 2850 r/min



BAC 1020 W/ MOTOR BAC 1020 W/O MOTOR

Rp. 11.783.000,-

Rp. 8.103.000,-

Specifications :

Max. Pressure	: 10 Bar / 145 Psi (W/ Motor)
	: 8 Bar / 116 Psi (W/O Motor)
Volt/PH	: 220 V / 1 Phase
Power	: 2 HP / 1.5 KW
Air Delivery	: 250 L/min / 8.8 C.F.M
Tank Capacity	: 100 Liter
R.P.M	: 1450 r/min





PRICE LIST

BAC 1530 W/ MOTOR

Rp. 16.902.000,-

Specifications :

Max. Pressure	: 8 Bar / 145 Psi
Volt/PH	: 380 V / 3 Phase
Power	: 3 HP / 2.2 KW
Air Delivery	: 375 L/min / 13.2 C.F.M
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min



BAC 1530 W/O MOTOR

Rp. 13.457.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 380 V / 3 Phase
Power	: 3 HP / 2.2 KW
Air Delivery	: 375 L/min / 13.2 C.F.M
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min



BAC 2755 W/ MOTOR

Rp. 30.012.000,-

Specifications :

Max. Pressure	: 8 Bar / 145 Psi
Volt/PH	: 380 V / 3 Phase
Power	: 5.5 HP / 4.0 KW
Air Delivery	: 655 L/min / 23.1 C.F.M
Tank Capacity	: 270 Liter
R.P.M	: 1450 r/min



BAC 2755 W/O MOTOR

Rp. 23.562.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 380 V / 3 Phase
Power	: 5.5 HP / 4.0 KW
Air Delivery	: 655 L/min / 23.1 C.F.M
Tank Capacity	: 270 Liter
R.P.M	: 1450 r/min





PRICE LIST

BAC 3075 W/ MOTOR **BAC 3075 W/O MOTOR**

Rp. 34.236.000,-

Rp. 27.773.000,-

Specifications :

Max. Pressure :	8 Bar / 145 Psi (W/ Motor)
	8 Bar / 116 Psi (W/O Motor)
Volt/PH :	380 V / 3 Phase
Power :	7.5 HP / 5.5 KW
Air Delivery :	900 L/min / 31.8 C.F.M
Tank Capacity :	300 Liter
R.P.M :	1450 r/min



BAC 5010

Rp. 44.928.000,-

Specifications :

Max. Pressure :	8 Bar / 145 Psi
Volt/PH :	380 V / 3 Phase
Power :	10 HP / 7.5 KW
Air Delivery :	1240 L/min / 43.8 C.F.M
Tank Capacity :	500 Liter
R.P.M :	2850 r/min



VAC 0560

Rp. 7.555.000,-

Specifications :

Max. Pressure :	8 Bar / 116 Psi
Volt/PH :	220 V / 1 Phase
Power :	0.50 HP / 0.38 KW
Air Delivery :	45 L/min / 1.6 C.F.M
Tank Capacity :	60 Liter
R.P.M :	2850 r/min



VAC 2100

Rp. 11.432.000,-

Specifications :

Max. Pressure :	8 Bar / 145 Psi
Volt/PH :	220 V / 1 Phase
Power :	2.0 HP / 1.5 KW
Air Delivery :	170 L/min / 6 C.F.M
Tank Capacity :	100 Liter
R.P.M :	2850 r/min





PRICE LIST

VAC 3150 (1 PHASE)

Rp. 17.352.000,-

Specifications :

Max. Pressure	: 8 Bar / 145 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 3 HP / 2.2 KW
Air Delivery	: 320 L/min / 11.3 C.F.M
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min



VAC 3150 (3 PHASE)

Rp. 18.755.000,-

Specifications :

Max. Pressure	: 8 Bar / 145 Psi
Volt/PH	: 380 V / 3 Phase
Power	: 3 HP / 2.2 KW
Air Delivery	: 320 L/min / 11.3 C.F.M
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min



GEC 100-2 W/ MOTOR (6.5HP)

Rp. 8.776.000,-

Specifications :

Air Tank Cap.	: 40 L
No. of Cylinder	: 1 Cylinders
Power Output	: 2 HP
Air Input	: 100 L/min
Max. Pressure	: 8 Bar / 116 Psi
Safety Sistem	: Unloader system



GEC 4001 W/ MOTOR (5.5HP) GEC 4001 W/O MOTOR

Rp. 5.224.000,-

Rp. 2.896.000,-

Specifications :

Air Tank Cap.	: 40 L
No. of Cylinder	: 1 Cylinders
Power Output	: 0.25 HP
Air Input	: 100 L/min
Max. Pressure	: 8 Bar / 116 Psi
Safety Sistem	: Unloader system





PRICE LIST

AC-N1001

Rp. 2.727.000,-

Specifications :

Max. Pressure	: 8 Bar / 116 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 1.0 HP / 0.75 KW
Air Delivery	: 115 L/min / 4.1 C.F.M
Tank Capacity	: 24 Liter
R.P.M	: 2850 r/min



BAC-N1020 W/ MOTOR

Rp. 10.829.000,-

Specifications :

Max. Pressure	: 10 Bar / 145 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 2 HP / 1.5 KW
Air Delivery	: 250 L/min / 8.8 C.F.M
Tank Capacity	: 100 Liter
R.P.M	: 1450 r/min



BAC 1020 WE

Rp. 8.103.000,-

Specifications :

Unloader System

Max. Pressure	: 10 Bar / 145 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 2 HP / 1.5 KW
Air Capacity	: 200 L/min
Tank Capacity	: 100 Liter



BAC-N1530 W/ MOTOR (1 PHASE)

Rp. 16.902.000,-

Specifications :

Max. Pressure	: 10 Bar / 145 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 3 HP / 2.2 KW
Air Delivery	: 375 L/min / 13.2 C.F.M
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min





PRICE LIST

BAC-N1530 W/ MOTOR (3 PHASE) Rp. 16.902.000,-

Specifications :

Max. Pressure	: 10 Bar / 145 Psi
Volt/PH	: 380 V / 3 Phase
Power	: 3 HP / 2.2 KW
Air Delivery	: 375 L/min / 13.2 C.F.M
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min



VAC N2100

Rp. 11.432.000,-

Specifications :

Max. Pressure	: 10 Bar / 145 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 2.0 HP / 1.5 KW
Air Capacity	: 250 L/min / 8.8 CFM
Tank Capacity	: 100 Liter
R.P.M	: 2850 r/min



VAC N3150 (1 PHASE)

Rp. 17.352.000,-

Specifications :

Max. Pressure	: 10 Bar / 145 Psi
Volt/PH	: 220 V / 1 Phase
Power	: 3 HP / 2.2 KW
Air Capacity	: 350 L/min / 12.3 CFM
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min



VAC N3150 (3 PHASE)

Rp. 18.755.000,-

Specifications :

Max. Pressure	: 10 Bar / 145 Psi
Volt/PH	: 380 V / 3 Phase
Power	: 3 HP / 2.2 KW
Air Capacity	: 350 L/min / 12.3 CFM
Tank Capacity	: 150 Liter
R.P.M	: 2850 r/min



PRICE LIST

DRILL PRESS

Rp. 1.820.000

MDM 13

Capacity : 13 mm
Speed Stage : 5
Power : 250 W
Voltage / Freq : 220 V / 50 Hz



DRILL PRESS

Rp. 4.680.000

BDM 16

Capacity : 16 mm
Speed Stage : 16
Power : 650 W
Voltage / Freq : 220 V / 50 Hz



PRODUCT LIST

MAGNETIC DRILL MD 23

Rp. 7.100.000

Capacity	: 23 mm
Power	: 1200 W
Voltage / Freq	: 220V / 50 Hz
Max Travel	: 180 mm
Taper No	: MT#2
Attraction	: 14.500N



MAGNETIC DRILL MD 28

Rp. 7.500.000

Capacity	: 28 mm
Power	: 1500 W
Voltage / Freq	: 220V / 50 Hz
Max Travel	: 180 mm
Taper No	: MT#3
Attraction	: 14.500N



PRODUCT LIST

MAGNETIC DRILL MD 30C

Rp. 5.400.000

MAX Cut	: 30 mm
Power	: 1000 W
Voltage / Freq	: 220V / 50 Hz
Attraction	: 1.000N
Rated Speed	: 11.000 Rpm



PRODUCT LIST

POWER SPRAYER PS-22E

Rp. 1.180.000

Power	: 1,5-2HP
Sprayer Pressure	: 45 Kg/Cm ²
Irrigation Pressure	: 0-10 Kg/Cm ²
Spraying Suction Volume	: 14L/min
Irrigation Suction Volume	: 12L/Min
Spraying RPM	: 800 RPM
Irrigation RPM	: 1200 RPM
Plunger No x Diameter	: 3x22mm



POWER SPRAYER PS-30

Rp. 1.640.000

Power	: 1,5-2HP
Sprayer Pressure	: 45 Kg/Cm ²
Irrigation Pressure	: 10-20 Kg/Cm ²
Spraying Suction Volume	: 30L/min
Irrigation Suction Volume	: 45L/Min
Spraying RPM	: 800 RPM
Irrigation RPM	: 1200 RPM
Plunger No x Diameter	: 3x30mm



PRICE LIST

BRUSH CUTTER TBC-30BP

Rp 1.980.000

Specifications

Type	: 2 cycle, single cylinder, forced air cooled
Displacement	: 30,5 cc
Max. output	: 1,5 PS (5500 - 6000 RPM)
Fuel	: gasoline mix with 2 cycle oil (ratio 25:1)
Fuel tank capacity	: 1,2 L
Starter	: recoil type
Ignition	: IC ignition (solid state)
Carburator	: float
N.W / G.W	: 6 Kg / 7 Kg
Dimension	: 2560 x 280 x 401 mm

Main Unit

Lever type	: throttle lever
Handle type	: loop handle
Blade rotation	: counter-clock wise
Drive system	: auto centrifugal clutch, flexible shaft and spiral bevel gear drive



BRUSH CUTTER BG 338

Specifications

Type	: 2 cycle, single cylinder, forced air cooled
Displacement	: 32,6 ml
Max. output	: 0,9 KW / 6500 RPM
Fuel	: gasoline mixed with lubricating oil (Ratio 25:1)
Fuel tank capacity	: 1,2 L
Starter	: recoil type
Ignition	: non-contact electronic ignition
Carburator	: float type
N.W / G.W	: 9,1 Kg / 10,1 Kg
Dimension	: 1685 x 310 x 440 mm

Main Unit

Lever type	: throttle lever
Handle type	: "D" grip
Blade rotation	: counter-clock wise
Drive system	: automatic centrifugal clutch, spiral bevel gear, flexible shaft,



PRICE LIST

WEEDER BLADE

Rp 1.300.000

For Brush Cutter :
6pcs / carton :



BRUSH CUTTER BLADE FOR TYPE TBC-30BP

Rp 64.900

DIMENSI

Panjang : 30 cm
Lebar Atas & Bawah : 6 cm
Lebar Tengah : 9 cm
2 sisi mata pisau
Ø Lubang : 2 cm



PRICE LIST

AIR SPRAY GUN

F 75 GN	Rp 236.000/pc	20pcs / box
F 75 SN	Rp 240.000/pc	20pcs / box
W 100G	Rp 288.000/pc	10pcs / box



F 75 GN

F 75 SN

W 100G

MINI SPRAY GUN KG 300	Rp 192.000/pc	30pcs / box
Tank Capacity.....	200 cc	
Nozzle Size.....	0.5 mm	



KG 300

MINI SPRAY GUN FG 200	Rp 204.000/pc	30pcs / box
Tank Capacity.....	200 cc	
Nozzle Size.....	0.5 mm	



FG 200

PRICE LIST

ELECTRIC SPRAY GUN ESG 110

Rp. 592.000/pcs
10pcs / Carton

Voltage..... 220 V/50 Hz
Electric power..... 350 Watt
Tank Capacity..... 800 ml
Motor Speed.....32.000 RPM
Nozzle.....2.5 mm
Net Weight..... 1.4 Kg



ELECTRIC SPRAY GUN ESG 210

Rp. 692.000/pcs
10pcs / Carton

Voltage..... 220 V/50 Hz
Electric power..... 350 Watt
Tank Capacity..... 800 ml
Motor Speed.....32.000 RPM
Brass Nozzle.....1.2 mm
Net Weight..... 1.4 Kg



AIR TOOL KIT ADG 3-17

Rp. 468.000/pcs
10pcs / Carton

Air Micro Grinder For Industrial Use..... 1 PC
Mini Oiler..... 1 PC
3MM (1/8") Mounted Grinding Stones.....10 PC
Female Plug..... 1 PC
Oil Pot..... 1 PC
Hand Wrenches..... 2 PC
Blow Mold Case..... 1 PC



PRICE LIST

AIR WASHING GUN

LB 01 N

Rp 162.400/pc

20pcs / box




HOPPER GUN (4,5,8MM)

LC 05 N

Rp 504.000/pc

10pcs / box



PRICE LIST

AIR HOSE PU LH-006M

Rp. 124.000/pcs

Diameter..... 5 x 8mm
 Length..... 6m
 Quantity.....50 pcs / carton



HOSE PU LH-006M

AIR HOSE LH-009M

Rp. 164.000/pcs

Diameter..... 5 x 8mm
 Length..... 9m
 Quantity.....50 pcs / carton



HOSE LH-009M

AIR HOSE PU LH-012M

Rp. 204.000/pcs

Diameter..... 5 x 8mm
 Length.....12m
 Quantity.....50 pcs / carton



HOSE PU LH-012M




NLG WELDING CABLE

PRICE LIST

NLG WELDING CABLE

MODEL	QUANTITY	HARGA
NLG Welding Cable 16mm (Length 100 m)	10 PCS	Rp 6.900.000
NLG Welding Cable 25mm (Length 100 m)	10 PCS	Rp 9.000.000
NLG Welding Cable 35mm (Length 100 m)	10 PCS	Rp 12.300.000
NLG Welding Cable 50mm (Length 100 m)	10 PCS	Rp 18.000.000
NLG Welding Cable 70mm (Length 100 m)	10 PCS	Rp 25.500.000
NLG Welding Cable 90mm (Length 50 m)	10 PCS	



PRICE LIST

Length	Width	W.L.L Straight Lift	
3 M	30 mm	1000 KG	Rp 100.000
5 M	30 mm	1000 KG	Rp 148.000

Color : Violet



Length	Width	W.L.L Straight Lift	
3 M	50 mm	2000 KG	Rp 164.000
4 M	50 mm	2000 KG	Rp 204.000
5 M	50 mm	2000 KG	Rp 248.000
6 M	50 mm	2000 KG	Rp 284.000
8 M	50 mm	2000 KG	Rp 368.000

Color : Green



Length	Width	W.L.L Straight Lift	
3 M	75 mm	3000 KG	Rp 236.000
4 M	75 mm	3000 KG	Rp 296.000
5 M	75 mm	3000 KG	Rp 364.000
6 M	75 mm	3000 KG	Rp 424.000
8 M	75 mm	3000 KG	Rp 556.000

Color : Yellow



Length	Width	W.L.L Straight Lift	
3 M	100 mm	4000 KG	Rp 316.000
4 M	100 mm	4000 KG	Rp 400.000
5 M	100 mm	4000 KG	Rp 484.000
6 M	100 mm	4000 KG	Rp 604.000
8 M	100 mm	4000 KG	Rp 708.000

Color : Grey



PRICE LIST

Length	Width	W.L.L Straight Lift	
4 M	125 mm	5000 KG	Rp 504.000
5 M	125 mm	5000 KG	Rp 612.000
6 M	125 mm	5000 KG	Rp 704.000
8 M	125 mm	5000 KG	Rp 916.000

Color : Red



Length	Width	W.L.L Straight Lift	
4 M	150 mm	6000 KG	Rp 624.000
5 M	150 mm	6000 KG	Rp 764.000
6 M	150 mm	6000 KG	Rp 884.000
8 M	150 mm	6000 KG	Rp 1.040.000
10 M	150 mm	6000 KG	Rp 1.440.000
12 M	150 mm	6000 KG	Rp 1.700.000

Color : Brown



Length	Width	W.L.L Straight Lift	
4 M	200 mm	8000 KG	Rp 860.000
6 M	200 mm	8000 KG	Rp 1.280.000
8 M	200 mm	8000 KG	Rp 1.560.000
10 M	200 mm	8000 KG	Rp 2.060.000
12 M	200 mm	8000 KG	Rp 2.300.000

Color : Blue



PRICE LIST

Length	Width	W.L.L Straight Lift	
4 M	250 mm	10000 KG	Rp 1.120.000
6 M	250 mm	10000 KG	Rp 1.620.000
8 M	250 mm	10000 KG	Rp 2.100.000
10 M	250 mm	10000 KG	Rp 2.600.000
12 M	250 mm	10000 KG	Rp 3.100.000
Length	Width	W.L.L Straight Lift	
4 M	300 mm	12000 KG	Rp 1.340.000
6 M	300 mm	12000 KG	Rp 2.060.000
8 M	300 mm	12000 KG	Rp 2.500.000
10 M	300 mm	12000 KG	Rp 3.100.000
12 M	300 mm	12000 KG	Rp 3.660.000
Length	Width	W.L.L Straight Lift	
8 M	250 mm	15000 KG	Rp 3.660.000
12 M	250 mm	15000 KG	Rp 5.400.000
16 M	250 mm	15000 KG	Rp 7.400.000
20 M	250 mm	15000 KG	Rp 9.100.000
Length	Width	W.L.L Straight Lift	
8 M	250 mm	20000 KG	Rp 5.460.000
12 M	250 mm	20000 KG	Rp 7.500.000
16 M	250 mm	20000 KG	Rp 10.400.000
20 M	250 mm	20000 KG	Rp 12.800.000



Color : Orange

PRICE LIST

CARGO LASHING WITH S HOOK

Length	Width	W.L.L Straight Lift	
5 M	25 mm	600 KG	Rp 76.000



CARGO LASHING WITH J HOOK

Length	Width	W.L.L Straight Lift	
8 M	50 mm	2000 KG	Rp 220.000
10 M	50 mm	2000 KG	Rp 240.000
12 M	50 mm	2000 KG	Rp 260.000



PRODUCT LIST


Diamond Grinding Wheel (Fiber) 150x25,4x25 cm

#80	20pcs/Carton
#100	20pcs/Carton
#120	20pcs/Carton
#240	20pcs/Carton
#600	20pcs/Carton



Gurinda Poles (Grinding Wheel)

GC-80LV	6"x1"x1¼"	20 pcs/Carton
GC-100LV	6"x1"x1¼"	20 pcs/Carton



Gurinda Poles (Grinding Wheel)

A 24 S	100 x 6 x 16 mm (4")	200 pcs/ Carton
	180 x 6 x 22 mm (7")	50 pcs/ Carton



Gurinda Potong (Cutting Off Wheel)

A 30 P	100 x 2 x 16 mm (4")	200 pcs/ Carton
	105 x 3 x 16 mm (4")	400 pcs/ Carton
	180 x 3 x 22 mm (7")	100 pcs/ Carton
	355 x 3 x 25,4 mm (14")	25 pcs/ Carton
	400 x 3 x 25,4 mm (14")	25 pcs/ Carton



PRICE LIST

DIAMOND WHEEL

NLG Dry Type 105mm (Kuning) - panjang pemotongan 80m <i>Untuk memotong Marmer dan Granit (kering/basah)</i> 105 x 1.8 x 7 x 20 mm (4") Quantity per carton 200 pcs	Rp 63.000
NLG Wet Type 105mm (Coklat) - panjang pemotongan 80m <i>Untuk memotong Marmer dan Granit (basah)</i> 105 x 1.8 x 7 x 20 mm (4") Quantity per carton 100 pcs	Rp 56.000
NLG Turbo Dry Type 105mm (Silver) - panjang pemotongan 80m <i>Untuk memotong Batu bata, Granit, Marmer, Sandstone, dan Keramik (kering/basah)</i> 105 x 1.8 x 8 x 20/16 mm (4") Quantity per carton 100 pcs	Rp 69.000
NLG Profesional Turbo Type 105mm (Biru) - panjang pemotongan 160m <i>Untuk memotong Batu beton, Granit, Keramik, Marmer, Sandstone, dan Granite tile (kering/basah)</i> 105 x 1.0 x 8 x 20/16 mm (4") Quantity per carton 100 pcs Highest Quality Guarantee	Rp 176.000
NLG Premium Turbo 200M Type 105mm (Hitam) <i>Untuk memotong Granito, Marmer, Granit, Keramik, Batu Beton, Sandstone (kering/basah)</i> 105 x 1.2 x 8 x 20/16 mm (4") Quantity per carton 200 pcs Highest Quality Guarantee	Rp 201.000



NLG DIAMOND CUP

<i>Untuk memoles marmer dan granit (Durasi pemakaian 40 jam)</i> 100 x 5 x 20 mm (4") Quantity per carton 100 pcs Highest Quality Guarantee	Rp 128.000
---	------------



TOKYU DIAMOND WHEEL

TOKYU Dry Type - Biru <i>Untuk memotong Marmer dan Granit (kering/basah)</i> 105 x 1.8 x 7 x 20 mm (4") Quantity per carton 100 pcs	Rp 47.000
---	-----------



PLANER BLADE 82mm

For : LG P582, NLG N82, Makita 1900B, Ryobi HL-82N

Material SKH Quantity per carton 160 pcs	Rp 60.000
Material TCT - High Quality Type Quantity per carton 100 pcs	Rp 148.000



PRICE LIST

V-BELT FOR PLANER

Rp 24.200

For : NLG N82, N8209P, N8223P, Makita 1900B, N1923B, LG (LS) P582



MULTI PURPOSE SAW BLADE (Pisau potong multi guna)

Rp 117.000

Untuk memotong Besi As 12 mm, kayu, dan aluminium
110 mm x 40 T x 20 mm
Quantity per carton 100 pcs



TCT Circular Saw Blade

150 (6") x 24T x 20 mm	100 pcs/Carton	Rp 58.000
150 (6") x 40T x 20 mm	100 pcs/Carton	Rp 64.000
180 (7") x 24T x 20 mm	50 pcs/Carton	Rp 86.000
180 (7") x 40T x 20 mm	50 pcs/Carton	Rp 102.000



PRICE LIST

TYPE	ISI PER CARTON BESAR	ISI PER CARTON KECIL
4"x1.0x20x20/16	200 pcs/Carton	50 pcs/Carton



PRICE LIST

GRINDING WHEEL A24S

Rp 8.600

100 x 6 x 16 mm
Max. Speed 15200, RPM 80 M/S
Quantity per carton 200 pcs



CUT OFF WHEEL A60TBF

Rp 5.000

107 X 1 X 16 mm
Max. Speed 15300, RPM 80 M/S
Quantity per carton 800 pcs



CUT OFF WHEEL A30P

Rp 48.000

355 x 3 x 25.4 mm
Max. Speed 4300, RPM 80 M/S
Quantity per carton 25 pcs



PRICE LIST

TWIN WELDING HOSE (SMOOTH / Permukaan halus)

Rp 3.560.000 /roll

Specifications

Size : 6,5 mm x 9,5 mm x 100 mtr
Working pressure : 20 Kg/cm²
Blasting Pressure : 60 Kg/cm²



RUBBER PRESSURE HOSE

Rp 2.440.000 /roll

Specifications

Size : 8,5 mm x 14,7 mm x 100 mtr
Working pressure : 40 Kg/cm²
Blasting Pressure : 160 Kg/cm²





VACUUM CLEANER

PRODUCT LIST

WET/DRY BLOW VACUUM CLEANER ECO-15

Rp 1.224.000

Specifications

Voltage	: 220 V
Rated power input	: 480 watt
Frequency	: 50 Hz
Dust capacity	: 15 Liter
Airflow	: 30 L/S
Vacuum	: ≤ 12 kpa
Noise	: ≤ 83 dB
Tank Thickness	: 0.31 mm
N.W / G.W	: 4.3 Kg / 5.3 Kg
Accessories	: 3 pcs plastic tube, 1 pc wet brush, 1 pc sponge filter, 1 pc paper dustbag, 1 pc crevice nozzle, hose (1.5m)



WET/DRY BLOW VACUUM CLEANER ECO - 20

Rp 1.440.000

Specifications

Voltage	: 220 V
Rated power input	: 1000 watt
Frequency	: 50 Hz
Dust capacity	: 20 Liter
Airflow	: 30L/S
Vacuum	: ≤ 14 kpa
Noise	: ≤ 83 dB
Tank Thickness	: 0.31 mm
N.W / G.W	: 4.8 Kg / 5.8 Kg
Accessories	: 3 pcs plastic tube, 1 pc wet brush, 1 pc sponge filter, 1 pc paper dustbag, 1 pc crevice nozzle, 1 pc woven filter, hose (1.5m)



SERVICE CENTRE

Jakarta (Kantor Pusat)

Jl. Mangga Besar I No.50
Jakarta 11180
Telp. (021) 625-6060/70
Fax. (021) 625-9031/32

Bandung

Jl. Batununggal Indah Raya No. 405,
Batununggal, Kec. Bandung Kidul
Kota Bandung 40266
Telp. (022) 3209 4306

Surabaya

Komplek Pertokoan Graha Pengenal
Jl. Pengenal No. 1C-A3
Surabaya 60174
Telp. (031) 545-4993
Fax. (031) 545-4986

Semarang

Ruko Graha Suari Indah
Jl. Kepodang No. 12A
Purwodinatan, Semarang 50137
Telp/Fax. (024) 358-1522

Banjarmasin

Jl. Simpang Telawang No.18
RT.06, RW.01
Kel.Kertak Baru Ilir
Kec. Banjarmasin Tengah
Telp/Fax. (0511) 6740-446

Medan

Jl. Tengku Amir Hamzah No.19A
Kel. Seiagul, Medan 20231
Telp. (061) 663-9750/51
Fax. (061) 663-6451

Palembang

Jl. Basuki Rahmat No.02
Kel. Pahlawan, Kec. Kemuning
Palembang 30127
Telp. (0711) 317-088
Fax. (0711) 313-488

Lampung

Jl. Cut Nyak Dien No.4C
Kel. Palapa, Kec. Tanjung Karang Pusat
Bandar Lampung 35116
Telp. (0721) 259-590

Denpasar - Bali

Jl. Mahendradatta Utara
Ruko No.9 Tegal Kertha
Denpasar Barat
Bali 80118
Telp. (0361) 8457351

Makassar

Jl. Lembeh, No. 99/11
RT/RW: 004/04
Kel. Melayu Baru, Kec. Wajo
Makassar 90174
Telp. (0411) 800-5109

Pontianak

Jl. K.H Agus Salim No. 10
RT. 003, RW. 002, Pontianak
Telp. (0561) 818-2995

Yogyakarta

GRIYA ALVITA RUKO A NO.2
Jl. Wates KM 3, Yogyakarta 55182
(Samping Bank BRI)
Telp. (0274) 2250-818

JAM KERJA

SENIN - JUMAT : 08.30 - 17.00

SABTU, MINGGU DAN HARI RAYA : LIBUR

EMAIL: customerservice@niagamas.com

www.niagamas.com